


Author's Accepted Manuscript

Flexible in-plane graphene oxide moisture-electric converter for touchless interactive panel

Huhu Cheng, Yaxin Huang, Liangti Qu, Qilong Cheng, Gaoquan Shi, Lan Jiang



PII: S2211-2855(17)30807-8
DOI: <https://doi.org/10.1016/j.nanoen.2017.12.033>
Reference: NANOEN2414

To appear in: *Nano Energy*

Received date: 30 October 2017
Revised date: 8 December 2017
Accepted date: 19 December 2017

Cite this article as: Huhu Cheng, Yaxin Huang, Liangti Qu, Qilong Cheng, Gaoquan Shi and Lan Jiang, Flexible in-plane graphene oxide moisture-electric converter for touchless interactive panel, *Nano Energy*, <https://doi.org/10.1016/j.nanoen.2017.12.033>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Flexible in-plane graphene oxide moisture-electric converter for touchless interactive panel

Huhu Cheng^{a,c}, Yaxin Huang^a, Liangti Qu^{a,b,*}, Qilong Cheng^a, Gaoquan Shi^{c,*}, Lan Jiang^{a,d,*}

^aKey Laboratory for Advanced Materials Processing Technology, Ministry of Education of China; State Key Laboratory of Tribology, Department of Mechanical Engineering, Tsinghua University, Beijing 100084, PR China.

^bBeijing Key Laboratory of Photoelectronic/Electrophotonic Conversion Materials, School of Chemistry and Chemical Engineering, Beijing Institute of Technology, Beijing 100081, PR China.

^cDepartment of Chemistry, Tsinghua University, Beijing 100084, PR China.

^dLaser Micro-/Nano-Fabrication Laboratory, Beijing Institute of Technology, Beijing, 100081, P. R. China.

lqu@mail.tsinghua.edu.cn

gshi@tsinghua.edu.cn

jianglan@bit.edu.cn

*Corresponding authors.

Abstract

Harvesting energy from nature have attracted much attentions especially the direct energy conversion from other power sources (e.g. light, heat, mechanical movement, moisture) into practical electricity. However, many of existing devices always rely heavily on external metal electrodes, and their rigid structure restrains further applications in portable touchless electronics or perceptual artificial skins. Herein, we demonstrate flexible in-plane moisture-electric converter (IPMEC) based on graphene oxide (GO) film for novel touchless interactive platform. An appreciable electric output voltage (~ 70 mV) and high electrical current density (12 mA cm^{-2}) can be autonomously generated with ambient moisture variation on this IPMEC. The planar configuration and integrative laser reduced GO electrodes of IPMEC renders it highly flexibility, and greatly promotes the touchless interface formation between this device

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات