Accepted Manuscript

Locality-constrained Linear Coding Based Bi-layer Model for Multi-view Facial Expression Recognition

Jianlong Wu, Zhouchen Lin, Wenming Zheng, Hongbin Zha

 PII:
 S0925-2312(17)30282-5

 DOI:
 10.1016/j.neucom.2017.02.012

 Reference:
 NEUCOM 18078

To appear in: Neurocomputing

Received date:7 May 2016Revised date:2 October 2016Accepted date:3 February 2017



Please cite this article as: Jianlong Wu, Zhouchen Lin, Wenming Zheng, Hongbin Zha, Localityconstrained Linear Coding Based Bi-layer Model for Multi-view Facial Expression Recognition, *Neurocomputing* (2017), doi: 10.1016/j.neucom.2017.02.012

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- Apply locality-constrained linear coding to multi-view facial expression recognition.
- A novel locality-constrained linear coding based bi-layer model (LLCBL) is proposed.
- LLCBL preserves both relationship between views and characteristics of every view.
- View-dependent models are constructed in LLCBL to eliminate pose influence.
- LLCBL achieves superior performance.

Chillip Markey

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران