### **Accepted Manuscript**

Persistent stability of a chaotic system

Greg Huber, Marc Pradas, Alain Pumir, Michael Wilkinson

 PII:
 S0378-4371(17)31052-X

 DOI:
 https://doi.org/10.1016/j.physa.2017.10.042

 Reference:
 PHYSA 18756

To appear in: *Physica A* 

Received date: 8 August 2017



Please cite this article as: G. Huber, M. Pradas, A. Pumir, M. Wilkinson, Persistent stability of a chaotic system, *Physica A* (2017), https://doi.org/10.1016/j.physa.2017.10.042

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Persistent Stability of a Chaotic System

Greg Huber<sup>1,2</sup>, Marc Pradas<sup>3,1</sup>, Alain Pumir<sup>4,1</sup> and Michael Wilkinson<sup>3,1</sup>

<sup>1</sup>Kavli Institute for Theoretical Physics, Kohn Hall, University of California, Santa Barbara, California 93106, USA

<sup>2</sup>Department of Physics, University of California, Santa Barbara, California 93106, USA <sup>3</sup>School of Mathematics and Statistics, The Open University, Walton Hall, Milton Keynes, MK7 6AA, UK

<sup>4</sup> Univ Lyon, ENS de Lyon, Univ Claude Bernard, CNRS, Laboratoire de Physique, F-69342, Lyon, France

#### Abstract

We report that trajectories of a one-dimensional model for inertial particles in a random velocity field can remain stable for a surprisingly long time, despite the fact that the system is chaotic. We provide a detailed quantitative description of this effect by developing the large-deviation theory for fluctuations of the finite-time Lyapunov exponent of this system. Specifically, the determination of the entropy function for the distribution reduces to the analysis of a Schrödinger equation, which is tackled by semi-classical methods. The system has 'generic' instability properties, and we consider the broader implications of our observation of long-term stability in chaotic systems.

*Keywords:* Stochastic analysis methods. nonlinear dynamics and chaos, fluctuation phenomena, random processes, noise, Brownian motion, butterfly effect.

#### 1. Introduction

This Letter concerns a phenomenon illustrated by the peculiar nature of the trajectories x(t) of inertial particles (Fig. 1) in a one-dimensional model, which is described in detail later (Eq. (2)). The plot shows a very large number of trajectories, which start with a uniform initial density. The trajectories clearly show a strong tendency to cluster, and the plot is color-coded (online version) using a logarithmic density scale to illustrate the very intense accumulation of

Preprint submitted to Journal of  $\square T_E X$  Templates

## دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
   امکان دانلود نسخه ترجمه شده مقالات
   پذیرش سفارش ترجمه تخصصی
   امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
   امکان دانلود رایگان ۲ صفحه اول هر مقاله
   امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
   دانلود فوری مقاله پس از پرداخت آنلاین
   پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران