

## Accepted Manuscript

Cellular automata model for traffic flow at intersections in internet of vehicles

Han-Tao Zhao, Xin-Ru Liu, Xiao-Xu Chen, Jian-Cheng Lu

PII: S0378-4371(17)31233-5  
DOI: <https://doi.org/10.1016/j.physa.2017.11.152>  
Reference: PHYSYA 18920

To appear in: *Physica A*

Received date: 14 July 2017  
Revised date: 17 October 2017

Please cite this article as: H. Zhao, X. Liu, X. Chen, J. Lu, Cellular automata model for traffic flow at intersections in internet of vehicles, *Physica A* (2017), <https://doi.org/10.1016/j.physa.2017.11.152>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**CELLULAR AUTOMATA MODEL FOR TRAFFIC FLOW AT INTERSECTIONS IN INTERNET OF VEHICLES**

HAN-TAO ZHAO\*

*School of Automotive Engineering, Harbin Institute of Technology,  
Weihai 264209, Shandong, China  
zht1919@163.com*

XIN-RU LIU

*School of Transportation Science and Engineering, Harbin Institute of Technology,  
Harbin 150090, Heilongjiang, China  
786861349@qq.com*

XIAO-XU CHEN

*Key Laboratory of Road and Traffic Engineering of the Ministry of Education, Tongji University,  
Shanghai 201804, China  
hitcxc@163.com*

JIAN-CHENG LU

*School of Electric and Information Engineering, Beijing Jiaotong University,  
Beijing100044, Shandong, China  
1036522761@qq.com*

Received Day

Revised Day

Considering the effect of the front vehicle's speed, the influence of the brake light and the conflict of the traffic flow, we established a cellular automata model called CE-NS for traffic flow at the intersection in the non-vehicle networking environment. According to the information interaction of Internet of Vehicles(IoV), introducing parameters describing the congestion and the accurate speed of the front vehicle into the CE-NS model, we improved the rules of acceleration, deceleration and conflict, and finally established a cellular automata model for traffic flow at intersections of IoV. The relationship between traffic parameters such as vehicle speed, flow and average travel time is obtained by numerical simulation of two models. Based on this, we compared the traffic situation of the non-vehicle networking environment with conditions of IoV environment, and analyzed the influence of the different degree of IoV on the traffic flow. The results show that the traffic speed is increased, the travel time is reduced, the flux of intersections is increased and the traffic flow is more smoothly under IoV environment. After the vehicle which achieves IoV reaches a certain proportion, the operation effect of the traffic flow begins to improve obviously.

*Keywords:* traffic flow, cellular automaton, IoV, intersection

**1. Introduction**

\*Corresponding author.

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات