

Accepted Manuscript


Numerical investigation of a solar/waste energy driven sorption/desorption cycle employing a novel adsorbent bed

Yin Bi, Wansheng Yang, Xudong Zhao

PII: S0360-5442(18)30249-4
DOI: 10.1016/j.energy.2018.02.021
Reference: EGY 12321
To appear in: *Energy*
Received Date: 08 January 2018
Revised Date: 05 February 2018
Accepted Date: 06 February 2018

Please cite this article as: Yin Bi, Wansheng Yang, Xudong Zhao, Numerical investigation of a solar /waste energy driven sorption/desorption cycle employing a novel adsorbent bed, *Energy* (2018), doi: 10.1016/j.energy.2018.02.021

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Numerical investigation of a solar/waste energy driven sorption/desorption cycle employing a novel adsorbent bed

Yin Bi ^{a,b}, Wansheng Yang ^{a,*}, Xudong Zhao ^{c, b,*}

^a School of Civil and Transportation Engineering, Guangdong University of Technology, Guangzhou, Guangdong 510006, China

^b School of Engineering and Computer Science, University of Hull, Hull HU6 7RX, UK

^c College of Environmental Science and Engineering, Taiyuan University of Technology, Taiyuan, Shanxi, P. R. China, 030024

* Corresponding authors. E-mail address: xudong.zhao@hull.ac.uk

Abstract: This paper presented a numerical investigation into a solar/waste energy driven sorption/desorption cycle employing a novel LiCl-Silicon-Gels adsorbent bed. Several adsorbent materials available for air drying, e.g., silica gel, zeolites, silica gel haloid compound, consolidated composite desiccant, etc., were compared each other, leading to the selection of a most suitable desiccant material (i.e., LiCl-Silicon-Gels), which has an adequate regeneration temperature of 80°C and relatively higher moisture absorption capacity of 0.5 g/g. A dedicated adsorbent bed structure was devised to allow both solar radiation and warm air (generated from the waste heat) to pass through to vaporize the water reserved in the voids of the bed. The mass and energy conservation principles were applied to both air and adsorbent within the bed, leading to the development of a specialist mathematical model able to characterize and evaluate the performance of the sorption/desorption cycle. On this basis, the desorption process driven by both solar radiation and waste heat and associated sorption process were simulated side by side. The performance of the sorption/desorption cycle, represented by moisture extraction volume (D_{me}), moisture extraction/removal efficiencies (η_{me}/η_{mr}), and dehumidification coefficient of performance (DCOP), and their correlations with the major operational factors, e.g. swapping time of working mode, parametrical data of the process/regeneration air and solar radiation, were investigated and characterized. The results of the research indicated that the system can achieve a good performance (i.e., moisture extraction volume of 7 to 7.2g/kg, moisture extraction/removal efficiencies of 0.4 to 0.5 and 0.5 to 0.57, and DCOP of 0.35 to 0.37) under a typical wet climatic condition (i.e., 30-35°C and 70 to 80% RH). Increasing solar radiation intensity to 1,800W/m² could lead to a significant rise in DCOP (from 1 to 5). Furthermore, the geometrical set-up of the

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات