

Accepted Manuscript

Title: Optimal Sensor Placement with Mitigation Strategy for Water Network Systems under Uncertainty

Authors: Rajib Mukherjee, Urmila M. Diwekar, Ashok Vaseastha



PII: S0098-1354(17)30141-2
DOI: <http://dx.doi.org/doi:10.1016/j.compchemeng.2017.03.014>
Reference: CACE 5764

To appear in: *Computers and Chemical Engineering*

Received date: 20-11-2015
Revised date: 22-11-2016
Accepted date: 17-3-2017

Please cite this article as: Mukherjee, Rajib., Diwekar, Urmila M., & Vaseastha, Ashok., Optimal Sensor Placement with Mitigation Strategy for Water Network Systems under Uncertainty. *Computers and Chemical Engineering* <http://dx.doi.org/10.1016/j.compchemeng.2017.03.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Optimal Sensor Placement with Mitigation Strategy for Water Network Systems under Uncertainty

Rajib Mukherjee¹, Urmila M. Diwekar², and Ashok Vaseashta³

1. Research Engineer/Post-doc, Vishwamitra Research Institute, 2714 Crystal Way, Crystal Lake, IL 60012, rajib@vri-custom.org
2. President, Vishwamitra Research Institute, 2714 Crystal Way, Crystal Lake, IL 60012, urmila@vri-custom.org
3. International Clean Water Institute, Manassas, VA 20112, prof.vaseashta@ieee.org

Highlights:

1. Sensor placement in drinking water networks
2. New objective function describing impact
3. Large scale problem with EPANET-MSX simulator
4. Solution of Stochastic mixed integer nonlinear programming problem
5. Novel mitigation strategy based on warning information to public about contamination
6. Comparing three previous approaches to the new approach.

Abstract:

Contamination of water in a distributed water network can cause serious public health disaster. The contamination can occur at one part of the network and may spread to different region depending of the flow pattern of water. It is essential to monitor contamination using distributed water networks and a practical way to do so, is through the application of sensor networks. Sensors are used for timely detection of the presence of various contaminants in water. To accurately and optimally map the contamination distribution, it is quintessential to place sensors in optimal positions in the network whereby the goal is to minimize the net effect

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات