Accepted Manuscript

Characterization of commercial off-the shelf regenerable sorbent to scrub carbon dioxide in a portable life support system

Tatsuya Arai, John Fricker

PII: S0094-5765(17)31808-8

DOI: 10.1016/j.actaastro.2018.04.003

Reference: AA 6803


To appear in: Acta Astronautica

- Received Date: 8 December 2017
- Revised Date: 25 January 2018

Accepted Date: 2 April 2018

Please cite this article as: T. Arai, J. Fricker, Characterization of commercial off-the shelf regenerable sorbent to scrub carbon dioxide in a portable life support system, *Acta Astronautica* (2018), doi: 10.1016/j.actaastro.2018.04.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title: Characterization of Commercial Off-The Shelf Regenerable Sorbent to Scrub Carbon Dioxide in a Portable Life Support System

Tatsuya Arai, senior engineer, Oceaneering Space Systems, 16665 Space Center Blvd., Houston, TX 77058, tarai@oceaneering.com (Corresponding Author)

John Fricker, life support projects manager, Oceaneering Space Systems, 16665 Space Center Blvd., Houston, TX 77058

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران