Accepted Manuscript

Title: Optimum Energy Resource scheduling in a Microgrid Using a Distributed Algorithm Framework

Authors: Seyed Ghasem Mirbabaee Rokni, Masoud Radmehr, Alireza Zakariazadeh

PII:	\$2210-6707(17)30788-6
DOI:	https://doi.org/10.1016/j.scs.2017.11.016
Reference:	SCS 846

To appear in:

Received date:	4-7-2017
Revised date:	21-10-2017
Accepted date:	15-11-2017

Please cite this article as: Rokni, Seyed Ghasem Mirbabaee., Radmehr, Masoud., & Zakariazadeh, Alireza., Optimum Energy Resource scheduling in a Microgrid Using a Distributed Algorithm Framework. *Sustainable Cities and Society* https://doi.org/10.1016/j.scs.2017.11.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Optimum Energy Resource scheduling in a Microgrid Using a Distributed Algorithm Framework

Seyed Ghasem Mirbabaee Rokni¹, Masoud Radmehr^{1,*}, Alireza Zakariazadeh²

¹Department of Electrical Engineering, Aliabad Katoul Branch, Islamic Azad University, Aliabad Katoul, P.O.Box: 49417– 93451, Iran

²Department of Electrical Engineering, University of Science and Technology of Mazandaran. P.O.Box:48518–78195, Behshahr, Iran

E-mail addresses: sgh.mirbabaee@aliabadiau.ac.ir , m_radmehr@aliabadiau.ac.ir, zakaria@mazust.ac.ir

*Corresponding author: m_radmehr@aliabadiau.ac.ir

Highlights

- A distributed energy management method for a microgrid is proposed.
- Optimal power flow problem within distributed algorithm is considered.
- Alternating Direction Method of the multiplier (ADMM) algorithm is presented.

ABSTRACT:

Smart Energy Management System (SEMS) as the mastermind of microgrid is a robust software to manage both demands and generation units. Moreover, SEMS sets optimal regulations between different energy resources. A centralized solution for MG energy management system requires high computational capabilities due to a non-linear and discrete nature of the problem. In this paper, a distributed energy management system called Alternating Direction Method of the multiplier (ADMM) has been proposed in order to jointly schedule the central controller as well as local controllers. The algorithm considers optimal power flow equations within the distributed energy management problem. The proposed distributed algorithm has been investigated on a typical MG and the efficiency of the algorithm has been evidenced through case studies. Our findings show that the proposed method decrease the operational cost of MG.

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران