Accepted Manuscript

Near-wellbore modeling of a horizontal well with Computational Fluid Dynamics

Márton L. Szanyi, Casper S. Hemmingsen, Wei Yan, Jens H. Walther, Stefan L. Glimberg

PII: S0920-4105(17)30793-3

DOI: 10.1016/j.petrol.2017.10.011

Reference: PETROL 4334

To appear in: Journal of Petroleum Science and Engineering

Received Date: 21 February 2017

Revised Date: 30 September 2017

Accepted Date: 3 October 2017

Please cite this article as: Szanyi, Má.L., Hemmingsen, C.S., Yan, W., Walther, J.H., Glimberg, S.L., Near-wellbore modeling of a horizontal well with Computational Fluid Dynamics, *Journal of Petroleum Science and Engineering* (2017), doi: 10.1016/j.petrol.2017.10.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Blue fonts: Manuscript was modified based on the Reviewer's comments.

Title: Near-wellbore modeling of a horizontal well with Computational Fluid Dynamics

Authors: Márton L. Szanyi¹, Casper S. Hemmingsen¹, Wei Yan¹, Jens H. Walther^{1,3}, Stefan L. Glimberg²

Abstract: The oil production by horizontal wells is a complex phenomenon that involves flow through the porous reservoir, completion interface and the well itself. Conventional reservoir simulators can hardly resolve the flow through the completion into the wellbore. On the contrary, Computational Fluid Dynamics (CFD) is capable of modeling the complex interaction between the creeping reservoir flow and turbulent well flow for single phases, while capturing both the completion geometry and formation damage. A series of single phase steady-state simulations are undertaken, using such fully coupled three dimensional numerical models, to predict the inflow to the well. The present study considers the applicability of CFD for near-wellbore modeling through benchmark cases with available analytical solutions. Moreover, single phase steady-state numerical investigations are performed on a specific perforated horizontal well producing from the Siri field, offshore Denmark. The performance of the well is investigated with an emphasis on the inflow profile and the productivity index for different formation damage scenarios. A considerable redistribution of the inflow profile were found when the filtrate invasion extended beyond the tip of the perforations.

Keywords: horizontal well productivity, near-wellbore model, inflow performance, reduced order model, numerical model, computational fluid dynamics.

<u>**Highlights:**</u> Computational Fluid Dynamics (CFD) simulation for modeling well inflow is introduced. Infinite conductivity horizontal wells can be modeled with CFD. The completion geometry can be incorporated into the numerical model. The inflow performance of the horizontal well in Siri field is assessed with CFD. Flow redistribution is observed for formation damage cases.

1. Introduction

Production by horizontal wells is a widely used technology of the upstream oil & gas industry since several decades. The enhanced well-reservoir contact increases the area swept by the well, leading to a rise of inflow performance, thereby horizontal wells perform significantly better in thin reservoirs than vertical wells and reduce problems related with water or gas coning. However, the estimation of the horizontal well productivity is more challenging than the corresponding estimation for vertical wells. The partial penetration of the well into the reservoir, and the finite conductivity of the long wellbore results in a complex well-reservoir interaction that can hardly be captured by conventional analytical methods. Therefore, analytical formulas are only available for simplified problems where the flow in the wellbore is neglected and - in most cases - uniform well pressure assumed(Joshi, 1988), (Giger, et al., 1984), (Renard & Dupuy, 1991). More sophisticated semi-analytical models were developed to overcome the uniform well pressure assumption, by including the pressure loss in the wellbore (Ozkan, et al., 1999). The inflow predicted by such finite conductivity well models reflect the field observations of increased production rate at the heel, where coning is more likely to occur. Nonetheless, when formation heterogeneity or complex well completion is present analytical or

semi-analytical solutions are impossible to obtain, numerical methods must be used.

Standard large scale reservoir simulators are extensively used in the industry. However, they often lack the accuracy to resolve the well and the nearwellbore area since the applied Cartesian grid size (50 - 100 m) is two orders of magnitude larger than the diameter of the well. Therefore, the pressure gradients and flow velocities at the vicinity of the well are approximated based on analytical or semianalytical formulas. Neglecting important near-well physics such as sharp pressure gradients, reservoir inhomogenity or completion geometry. To address this issue methods have been developed to advance the near-well representation by improving the standard Cartesian grid technique. In order to increase the accuracy of the numerical grid's resolution, a local grid refinement (LGR) method was proposed (Heinemann, et al., 1991) using irregular PEBI (perpendicular bisection method) grid. It was proved for vertical wells that the LGR method helps to capture the near-well flow patterns, while the PEBI unstructured grid significantly increases the flexibility of the spatial discretization. A similar unstructured LGR method was presented recently, with upscaling in the near-well area (Karimi-Fard & Durlofsky, 2012). This expanded well modeling approach was designed to capture the key near-well

^{1 -} Technical University of Denmark, DK-2800 Kgs. Lyngby, Denmark

^{2 -} Lloyd's Register, DK-2900 Hellerup, Denmark

^{3 -} Computational Science and Engineering Laboratory, ETH Zürich, CH-8092 Zürich, Switzerland

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران