Accepted Manuscript

Computationally-Efficient Modeling of Inelastic Single Crystal Responses via Anisotropic Yield Surfaces: Applications to Shape Memory Alloys

Darren J. Hartl, Björn Kiefer, Robin Schulte, Andreas Menzel


PII:	S0020-7683(17)30537-1
DOI:	10.1016/j.ijsolstr.2017.12.002
Reference:	SAS 9820

To appear in: International Journal of Solids and Structures

Received date:	13 February 2017
Revised date:	1 October 2017
Accepted date:	4 December 2017

Please cite this article as: Darren J. Hartl, Björn Kiefer, Robin Schulte, Andreas Menzel, Computationally-Efficient Modeling of Inelastic Single Crystal Responses via Anisotropic Yield Surfaces: Applications to Shape Memory Alloys, *International Journal of Solids and Structures* (2017), doi: 10.1016/j.ijsolstr.2017.12.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Computationally-Efficient Modeling of Inelastic Single Crystal Responses via Anisotropic Yield Surfaces: Applications to Shape Memory Alloys

Darren J. Hartl^a, Björn Kiefer^{b,c,*}, Robin Schulte^c, Andreas Menzel^{c,d}

^aDept. of Aerospace Engineering, Texas A&M University, College Station, TX 77843-3409, USA ^bInstitute of Mechanics and Fluid Dynamics, TU Bergakademie Freiberg, Lampadiusstr. 4, 09596 Freiberg,

Germany

^cInstitute of Mechanics, TU Dortmund University, Leonhard-Euler-Str. 5, 44227 Dortmund, Germany ^dDivision of Solid Mechanics, Lund University, PO Box 118, 22100 Lund, Sweden

Abstract

Phenomenological constitutive models of inelastic responses based on the methods of classical plasticity provide several advantages, especially in terms of computational efficiency. For this reason, they are attractive for the analysis of complex boundary value problems comprising large computational domains. However, for the analysis of problems dominated by single crystal behavior (e.g., inclusion, granular interaction problems or inter-granular fracture), such approaches are often limited by the symmetry assumptions inherent in the stress invariants used to form yield-type criteria. On the other hand, the high computational effort associated with micro-mechanical or crystal plasticity-type models usually prevents their use in large structural simulations, multi-scale analyses, or design and property optimization computations. The goal of the present work is to establish a modeling strategy that captures micro-scale single-crystalline sma responses with sufficient fidelity at the computational cost of a phenomenological macro-scale model. Its central idea is to employ an anisotropic transformation yield criterion with sufficiently rich symmetry class—which can directly be adopted from the literature on plasticity theory—at the single crystal level. This approach is conceptually fundamentally different from the common use of anisotropic yield functions to capture tension-compression asymmetry and texture-induced anisotropy in polycrystalline SMAs. In our model, the required anisotropy parameters are calibrated either

^{*}Corresponding author.

Email address: Bjoern.Kiefer@imfd.tu-freiberg.de (Björn Kiefer)

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران