


Accepted Manuscript

Field effect transistors based on phosphorene nanoribbon with selective edge-adsorption: A first-principles study

Mengli Hu, Zhixiong Yang, Wenzhe Zhou, Aolin Li, Jiangling Pan, Fangping Ouyang



PII: S1386-9477(17)30944-X

DOI: [10.1016/j.physe.2017.12.027](https://doi.org/10.1016/j.physe.2017.12.027)

Reference: PHYSE 12998

To appear in: *Physica E: Low-dimensional Systems and Nanostructures*

Received Date: 29 June 2017

Revised Date: 8 December 2017

Accepted Date: 12 December 2017

Please cite this article as: M. Hu, Z. Yang, W. Zhou, A. Li, J. Pan, F. Ouyang, Field effect transistors based on phosphorene nanoribbon with selective edge-adsorption: A first-principles study, *Physica E: Low-dimensional Systems and Nanostructures* (2018), doi: 10.1016/j.physe.2017.12.027.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Field Effect Transistors Based on Phosphorene nanoribbon with Selective Edge-adsorption: A First-principles Study

Mengli Hu¹, Zhixiong Yang², Wenzhe Zhou¹, Aolin Li¹, Jiangling Pan^{1,a)}, and Fangping Ouyang^{1, 2, a)}

¹School of Physics and Electronics, and Institute of Super-microstructure and Ultrafast Processing Advanced Materials, Central South University, Changsha 410083, People's Republic of China

²Powder Metallurgy Research Institute and State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, People's Republic of China

^{a)} Author to whom correspondence should be addressed. Electronic mail: panjl@csu.edu.cn and ouyangfp06@tsinghua.org.cn

Abstract: By using density functional theory (DFT) and nonequilibrium Green's function (NEGF), field effect transistors (FET) based on zigzag shaped phosphorene nanoribbons (ZPNR) are investigated. The FETs are constructed with bare-edged ZPNRs as electrodes and H, Cl or OH adsorbed ZPNRs as channel. It is found FETs with the three kinds of channel show similar transport properties. The FET is p-type with a maximum current on/off ratio of 10^4 and a minimum off-current of 1nA. The working mode of FETs is dependent on the parity of channel length. It can be either enhancement mode or depletion mode and the off-state current shows an even-odd oscillation. The current oscillations are interpreted with density of states (DOS) analysis and methods of evolution operator and tight-binding Hamiltonian. Operating mechanism of the designed FETs is also presented with projected local density of states and band diagrams.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات