# Author's Accepted Manuscript

Childhood Trauma, Depression, and Sleep Quality and their Association with Psychotic Symptoms and Suicidality in Schizophrenia

Esin Evren Kilicaslan, Aslı Tuğba Esen, Meltem Izci Kasal, Erdal Özelçi, Murat Boysan, Mustafa Güleç



 PII:
 S0165-1781(17)30902-2

 DOI:
 http://dx.doi.org/10.1016/j.psychres.2017.08.081

 Reference:
 PSY10797

To appear in: Psychiatry Research

Received date:29 May 2017Revised date:18 August 2017Accepted date:27 August 2017

Cite this article as: Esin Evren Kilicaslan, Aslı Tuğba Esen, Meltem Izci Kasal, Erdal Özelçi, Murat Boysan and Mustafa Güleç, Childhood Trauma, Depression, and Sleep Quality and their Association with Psychotic Symptoms and Suicidality in Schizophrenia, *Psychiatry Research*, http://dx.doi.org/10.1016/j.psychres.2017.08.081

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

### **ACCEPTED MANUSCRIPT**

## Childhood Trauma, Depression, and Sleep Quality and their Association with Psychotic Symptoms and Suicidality in Schizophrenia

Esin Evren Kilicaslan<sup>1</sup>; Aslı Tuğba Esen<sup>2</sup>; Meltem Izci Kasal<sup>1</sup>; Erdal Özelçi<sup>1</sup>; Murat Boysan<sup>3</sup>; Mustafa Güleç<sup>1</sup>

- 1. Izmir Katip Celebi University, Atatürk Education and Training Hospital, Psychiatry Department, Izmir, Turkey.
- 2. University of Health Sciences, Izmir Tepecik Education and Training Hospital, Psychiatry Department, Izmir, Turkey.

manuscrite

3. Yuzuncu Yil University, Faculty of Literature, Psychology Department, Van, Turkey.

#### **Corresponding author:**

Esin Evren Kilicaslan Adress: İzmir Katip Çelebi Üniversitesi Atatürk Eğitim ve Araştırma Hastanesi Psikiyatri Kliniği Karabağlar/IZMIR/TURKEY Tel: +905338190191 Email: esiniyidogan@gmail.com

#### Abstract

This study involved the examination of the relationship between childhood trauma and both psychotic symptoms and suicidality in patients with schizophrenia after controlling for the possible confounding factors, such as clinical features, depression, and sleep quality. The Childhood Trauma Questionnaire-Short Form, Positive and Negative Syndrome Scale (PANSS), Calgary Depression Scale for Schizophrenia (CDSS), Pittsburgh Sleep Quality Index (PSQI), and the suicidality subscale of Mini-International Neuropsychiatric Interview (MINI) were administered to 199 patients with schizophrenia. We used sequential multiple stepwise regression analyses in which positive symptoms, negative symptoms, overall psychopathology, total symptoms of schizophrenia, and suicidality were dependent variables.

Depressive symptomatology and childhood physical abuse significantly contributed to positive, negative, general psychopathology, and global schizophrenia symptomatology. Interestingly, general psychopathology scores were negatively associated with childhood

# دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
   امکان دانلود نسخه ترجمه شده مقالات
   پذیرش سفارش ترجمه تخصصی
   امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
   امکان دانلود رایگان ۲ صفحه اول هر مقاله
   امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
   دانلود فوری مقاله پس از پرداخت آنلاین
   پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران