

Accepted Manuscript

Vehicular Cloud Computing through Dynamic Computation Offloading

Ashwin Ashok, Peter Steenkiste, Fan Bai

PII: S0140-3664(17)30414-0
DOI: [10.1016/j.comcom.2017.12.011](https://doi.org/10.1016/j.comcom.2017.12.011)
Reference: COMCOM 5623



To appear in: *Computer Communications*

Received date: 8 May 2017
Revised date: 13 December 2017
Accepted date: 17 December 2017

Please cite this article as: Ashwin Ashok, Peter Steenkiste, Fan Bai, Vehicular Cloud Computing through Dynamic Computation Offloading, *Computer Communications* (2017), doi: [10.1016/j.comcom.2017.12.011](https://doi.org/10.1016/j.comcom.2017.12.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Vehicular Cloud Computing through Dynamic Computation Offloading

Ashwin Ashok^a, Peter Steenkiste^b, Fan Bai^c

^aDepartment of Computer Science, Georgia State University, Atlanta, USA

^bDepartment of ECE and CS, Carnegie Mellon University, Pittsburgh, USA

^cGeneral Motors Research, Michigan, USA

Abstract

The growing demand in the number of sensor-dependent applications and infotainment services in vehicles is pushing the limits of their on-board computing resources. Today, vehicles are increasingly being connected to the Internet and becoming a part of the *Smart Internet-of-Things* (IoT) paradigm. Leveraging such connectivity, the idea of vehicular cloud-computing, where computation for vehicular applications and services are *offloaded* to the cloud, becomes an attractive proposition. However, the large sensory data inputs, strict latency requirements, and dynamic wireless networking conditions make offloading of vehicular applications to the cloud very challenging. To address this challenge, we design a dynamic approach for offloading specific vehicular application components or *modules*. We develop heuristic mechanisms for placement and scheduling of these modules in the on-board unit versus the cloud. The highlight of the proposed design is the ability to offload computation to the cloud in an elastic manner through dynamic decisions during variable network conditions. Through an experimental evaluation using our prototype system we show the effectiveness of the design in reducing the response time for compute intensive applications across variable network conditions in two urban environments.

Keywords: vehicular, cloud computing, offloading, experiments, placement, scheduling, real-time, dynamic resource allocation, interactive application

1. Introduction

Computing requirements for vehicular applications are increasing tremendously, particularly with the growing interest in embedding new class of interactive applications and services using on-board sensory inputs. For example, autonomous

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات