

Accepted Manuscript

Anonymous and secure aggregation scheme in fog-based public cloud computing

Huaqun Wang, Zhiwei Wang, Josep Domingo-Ferrer

PII: S0167-739X(17)30255-8

DOI: <http://dx.doi.org/10.1016/j.future.2017.02.032>

Reference: FUTURE 3350

To appear in: *Future Generation Computer Systems*

Received date: 16 April 2016

Revised date: 28 January 2017

Accepted date: 15 February 2017



Please cite this article as: H. Wang, Z. Wang, J. Domingo-Ferrer, Anonymous and secure aggregation scheme in fog-based public cloud computing, *Future Generation Computer Systems* (2017), <http://dx.doi.org/10.1016/j.future.2017.02.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Anonymous and Secure Aggregation Scheme in Fog-Based Public Cloud Computing

Huaqun Wang

*School of Computer Science, Nanjing University of Posts and Telecommunications,
Nanjing 210023, China. E-mail: wanghuaqun@aliyun.com*

Zhiwei Wang

*School of Computer Science, Nanjing University of Posts and Telecommunications,
Nanjing 210023, China. E-mail: zhwwang@njupt.edu.cn*

Josep Domingo-Ferrer

*Universitat Rovira i Virgili, Department of Computer Engineering and Mathematics,
UNESCO Chair in Data Privacy, Av. Països Catalans 26, E-43007 Tarragona,
Catalonia. E-mail: josep.domingo@urv.cat*

Abstract

By using fog computing, cloud computing can be extended to the edge of the network. Generally, in the public cloud, fog computing comprises three components: terminal device, fog node and public cloud server (PCS). In this paper, we propose the concept of anonymous and secure aggregation scheme (ASAS) in fog-based public cloud computing. In the ASAS model, a fog node aggregates the data from terminal nodes and forwards the aggregated data to the public cloud server. By using the ASAS scheme, the fog node can help terminal devices upload their data to PCS. By using the data aggregation technique, our ASAS scheme can save bandwidth between the fog node and PCS. At the same time, our ASAS scheme not only protects the identities of terminal devices by using pseudonyms but it also guarantees data secrecy

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات