

Author's Accepted Manuscript

Attention Bias in Older Women with Remitted Depression is Associated with Enhanced Amygdala Activity and Functional Connectivity

Kimberly Albert, Violet Gau, Warren D. Taylor, Paul A. Newhouse



PII: S0165-0327(16)31315-5
DOI: <http://dx.doi.org/10.1016/j.jad.2016.12.010>
Reference: JAD8671

To appear in: *Journal of Affective Disorders*

Received date: 29 July 2016
Revised date: 9 December 2016
Accepted date: 12 December 2016

Cite this article as: Kimberly Albert, Violet Gau, Warren D. Taylor and Paul A. Newhouse, Attention Bias in Older Women with Remitted Depression is Associated with Enhanced Amygdala Activity and Functional Connectivity *Journal of Affective Disorders*, <http://dx.doi.org/10.1016/j.jad.2016.12.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

**Attention Bias in Older Women with Remitted Depression is Associated with Enhanced
Amygdala Activity and Functional Connectivity**

Kimberly Albert^{a,c}, Violet Gau^a, Warren D. Taylor^{a,b}, Paul A. Newhouse^{a,b}

^aCenter for Cognitive Medicine, Department of Psychiatry and Behavioral Sciences, Vanderbilt
University Medical Center, Nashville, TN

^bGeriatric Research, Education, and Clinical Center, Tennessee Valley VA Health System

^cUniversity of Vermont, Burlington, VT

***Address for correspondence:** Paul Newhouse, M.D. Vanderbilt Center for Cognitive Medicine, Department of
Psychiatry, Vanderbilt University School of Medicine, 1601 23rd Ave. South, Nashville, TN 37212. V: 615-327-7030 ;
F: 615-875-0686. Email: Paul.Newhouse@Vanderbilt.edu

Abstract

Background:

Cognitive bias is a common characteristic of major depressive disorder (MDD) and is posited to remain during remission and contribute to recurrence risk. Attention bias may be related to enhanced amygdala activity or altered amygdala functional connectivity in depression. The

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات