


Author's Accepted Manuscript

Impaired visual short-term memory capacity is distinctively associated with structural connectivity of the posterior thalamic radiation and the splenium of the corpus callosum in preterm-born adults

A. Menegaux, C. Meng, J. Neitzel, J.G. Bäuml, H.J. Müller, P. Bartmann, D. Wolke, A.M. Wohlschläger, K. Finke, C. Sorg



PII: S1053-8119(17)30121-0
DOI: <http://dx.doi.org/10.1016/j.neuroimage.2017.02.017>
Reference: YNIMG13802

To appear in: *NeuroImage*

Received date: 21 September 2016

Revised date: 4 February 2017

Accepted date: 6 February 2017

Cite this article as: A. Menegaux, C. Meng, J. Neitzel, J.G. Bäuml, H.J. Müller, P. Bartmann, D. Wolke, A.M. Wohlschläger, K. Finke and C. Sorg, Impaired visual short-term memory capacity is distinctively associated with structural connectivity of the posterior thalamic radiation and the splenium of the corpus callosum in preterm-born adults, *NeuroImage* <http://dx.doi.org/10.1016/j.neuroimage.2017.02.017>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and a review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title page

Title

Impaired visual short-term memory capacity is distinctively associated with structural connectivity of the posterior thalamic radiation and the splenium of the corpus callosum in preterm-born adults

Authors and Affiliations

Menegaux A.^{1,6}, Meng C.^{2,5,6}, Neitzel J.^{1,2,6}, Bäuml J.G.^{2,4}, Müller H. J.^{1,6}, Bartmann P.⁷, Wolke D.^{8,9}, Wohlschläger, A. M.^{2,4,5,6}, Finke K.^{1,6,10*}, Sorg C.^{2,3,4*}

¹Department of Psychology, General and Experimental Psychology, Ludwig-Maximilians-Universität München, Leopoldstrasse 13, 80802 Munich; Departments of ²Neuroradiology, ³Psychiatry, ⁴Neurology, ⁵TUM-Neuroimaging Center of Klinikum rechts der Isar, Technische Universität München TUM, Ismaninger Strasse 22, 81675 Munich, Germany; ⁶Graduate School of Systemic Neurosciences GSN, Ludwig-Maximilians-Universität, Biocenter, Großhaderner Strasse 2, 82152 Munich, Germany; ⁷Department of Neonatology, University Hospital Bonn, Bonn, Germany ⁸Department of Psychology, University of Warwick, Coventry, United Kingdom; ⁹Warwick Medical School, University of Warwick, Coventry, United Kingdom; ¹⁰Hans Berger Department of Neurology, Friedrich-Schiller-University Jena, Germany.

* Finke and Sorg contributed equally to the study

Corresponding author

Aurore Menegaux, Department of Psychology, General and Experimental Psychology, Ludwig-Maximilians-Universität München, Leopoldstrasse 13, 80802 Munich, Germany.

E-mail: aurore.menegaux@psy.lmu.de , phone: +49 89 2180 72567

Counts

Number of words: Abstract 248;

Number of figures: 3

Number of tables: 1

Number of Supplementary material: 0

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات