

Accepted Manuscript

A nonlocal higher-order model including thickness stretching effect for bending and buckling of curved nanobeams


M. Ganapathi, O. Polit

PII: S0307-904X(17)30756-4
DOI: [10.1016/j.apm.2017.12.025](https://doi.org/10.1016/j.apm.2017.12.025)
Reference: APM 12106

To appear in: *Applied Mathematical Modelling*

Received date: 2 February 2017
Revised date: 27 November 2017
Accepted date: 7 December 2017

Please cite this article as: M. Ganapathi, O. Polit, A nonlocal higher-order model including thickness stretching effect for bending and buckling of curved nanobeams, *Applied Mathematical Modelling* (2017), doi: [10.1016/j.apm.2017.12.025](https://doi.org/10.1016/j.apm.2017.12.025)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Curved beam models: higher order, stretching effect, 3D behaviour law
- Nonlocal elasticity using Eringen formulation
- Navier solutions for static and buckling analysis
- Assessments with available reference results from the literature
- New reference solutions for thin/thick, shallow/deep curved nanobeams

ACCEPTED MANUSCRIPT

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات