

Accepted Manuscript

Bladder scan accuracy in pediatric patients: does patient position matter?

J.M. Zillioux, S.T. Corbett, E. Hunter, N.G. Kern

PII: S1477-5131(18)30127-X

DOI: [10.1016/j.jpurol.2018.02.029](https://doi.org/10.1016/j.jpurol.2018.02.029)

Reference: JPUROL 2805

To appear in: *Journal of Pediatric Urology*

Received Date: 4 July 2017

Accepted Date: 20 February 2018

Please cite this article as: Zillioux JM, Corbett ST, Hunter E, Kern NG, Bladder scan accuracy in pediatric patients: does patient position matter?, *Journal of Pediatric Urology* (2018), doi: 10.1016/j.jpurol.2018.02.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Bladder scan accuracy in pediatric patients: does patient position matter?

J. M. Zillioux^a, S. T. Corbett^a, E. Hunter^a, N. G. Kern^{a,*}

^aDepartment of Urology, University of Virginia, Charlottesville, VA, USA

*Corresponding author: PO Box 800422, Charlottesville, VA 22908, USA. Tel.: +1 434-244-3220; fax: + 1 434-244-9455.

Email address: ngl2z@virginia.edu (Nora G. Kern)

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات