

## Author's Accepted Manuscript

The effects of vortioxetine on cognitive dysfunction in patients with inadequate response to current antidepressants in major depressive disorder: A short-term, randomized, double-blind, exploratory study versus escitalopram

Eduard Vieta, Lasse B. Sluth, Christina K. Olsen



PII: S0165-0327(17)31364-2  
DOI: <https://doi.org/10.1016/j.jad.2017.11.053>  
Reference: JAD9367

To appear in: *Journal of Affective Disorders*

Received date: 5 July 2017  
Revised date: 27 September 2017  
Accepted date: 12 November 2017

Cite this article as: Eduard Vieta, Lasse B. Sluth and Christina K. Olsen, The effects of vortioxetine on cognitive dysfunction in patients with inadequate response to current anti-depressants in major depressive disorder: A short-term, randomized, double-blind, exploratory study versus escitalopram, *Journal of Affective Disorders*, <https://doi.org/10.1016/j.jad.2017.11.053>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**The effects of vortioxetine on cognitive dysfunction in patients with inadequate response to current anti-depressants in major depressive disorder: A short-term, randomized, double-blind, exploratory study versus escitalopram**

Vieta, Eduard<sup>1\*</sup>; Sluth, Lasse B<sup>2</sup>; Olsen, Christina K<sup>2</sup>

<sup>1</sup>*Hospital Clinic, Institute of Neurosciences, University of Barcelona, IDIBAPS, CIBERSAM, Barcelona, Catalonia, Spain*

<sup>2</sup>*H. Lundbeck A/S, Valby, Denmark*

\***Corresponding author:** Hospital Clinic, University of Barcelona, 170 Villarroel st., 08036 Barcelona, Spain.. Tel.: +34932275477. evieta@clinic.ub.es

**Abstract:**

Background.

Major Depressive Disorder (MDD) is a heterogeneous disease characterized by emotional, physical and cognitive symptoms. This study explored the effects of vortioxetine versus escitalopram on outcomes of cognition, functioning and mood symptoms in depressed patients with inadequate response to current antidepressant treatment.

Methods.

In this parallel-group, active-comparator study, adult patients (18-65 years, N = 101) with MDD with inadequate response to current antidepressant monotherapy were randomized 1:1 to 8

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات