Accepted Manuscript

Regional homogeneity and functional connectivity patterns in major depressive disorder, cognitive vulnerability to depression and healthy subjects

Hui Sun, Lizhu Luo, Xinru Yuan, Lu Zhang, Yini He, Shuqiao Yao, Jiaojian Wang, Jing Xiao

 PII:
 S0165-0327(17)32510-7

 DOI:
 10.1016/j.jad.2018.04.061

 Reference:
 JAD 9716

To appear in: Journal of Affective Disorders

Received date:5 December 2017Revised date:10 March 2018Accepted date:5 April 2018

Please cite this article as: Hui Sun, Lizhu Luo, Xinru Yuan, Lu Zhang, Yini He, Shuqiao Yao, Jiaojian Wang, Jing Xiao, Regional homogeneity and functional connectivity patterns in major depressive disorder, cognitive vulnerability to depression and healthy subjects, *Journal of Affective Disorders* (2018), doi: 10.1016/j.jad.2018.04.061

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1

Highlights:

- ReHo was used to study abnormal resting-state functional activity.
- RSFC was used to characterize the changed functional connectivity patterns.
- Cerebellum showed changed ReHo across HC, CVD, and MDD.
- Abnormal functional connections between LG and IPL, PCC, and dIPFC in CVD

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران