



Modelling long memory and structural breaks in conditional variances: An adaptive *FIGARCH* approach

Richard T. Baillie^{a,b,c}, Claudio Morana^{d,e,f,*}

^a Department of Economics, Michigan State University, East Lansing, MI 48824, USA

^b Department of Finance, Broad School of Business, Michigan State University, East Lansing, MI 48824, USA

^c Department of Economics, Queen Mary University of London, London E1 4NS, UK

^d Dipartimento di Scienze Economiche e Metodi Quantitativi (SEMeQ), Università del Piemonte Orientale, Novara, Italy

^e International Centre for Economic Research (ICER), Torino, Italy

^f Centre for Research on Pensions and Welfare Policies (CeRP), Torino, Italy

ARTICLE INFO

Article history:

Received 8 July 2007

Accepted 25 February 2009

Available online 14 March 2009

JEL classification:

C15

C22

G1

Keywords:

FIGARCH

Long memory

Structural change

Stock market volatility

ABSTRACT

This paper introduces a new long memory volatility process, denoted by adaptive *FIGARCH*, or *A-FIGARCH*, which is designed to account for both long memory and structural change in the conditional variance process. Structural change is modeled by allowing the intercept to follow the smooth flexible functional form due to Gallant (1984). The Fourier flexible form. *American Journal of Agricultural Economics* 66, 204–208). A Monte Carlo study finds that the *A-FIGARCH* model outperforms the standard *FIGARCH* model when structural change is present, and performs at least as well in the absence of structural instability. An empirical application to stock market volatility is also included to illustrate the usefulness of the technique.

© 2009 Elsevier B.V. All rights reserved.

1. Introduction

The purpose of this paper is to introduce a new long memory volatility process, denoted by Adaptive *FIGARCH*, or *A-FIGARCH*, which is designed to account for both long memory and structural change in the volatility processes of economic and financial time series. It is well known that most daily and high frequency financial time series exhibit quite persistent autocorrelation in their squared returns, power transformations of absolute returns, conditional variances and other measures of volatility. The seminal papers by Ding et al. (1993) and Dacorogna et al. (1993) led to the development of the long memory stochastic volatility models of Breidt et al. (1998) and Harvey (1998), and the long memory ARCH models of Baillie et al. (1996a), Bollerslev and Mikkelsen (1996) and Davidson (2004). While these models appear useful in describing many empirical volatility processes, there is understandably great interest in discerning the reasons and underlying causes for the widespread empirical finding of long memory in volatility. In particular, Granger and Ding (1996) have shown that contemporaneous aggregation of stable *GARCH*(1,1) processes can result in an aggregate process that exhibits hyperbolically decaying autocorrelations. While this property appears to be consistent with long memory, Zaffaroni (2007) has shown that the autocorrelation function is summable, which is inconsistent with it being classified as a long

* Corresponding author at: Dipartimento di Scienze Economiche e Metodi Quantitativi (SEMeQ), Università del Piemonte Orientale, Novara, Italy.
E-mail address: claudio.morana@eco.unipmn.it (C. Morana).

memory process. A related argument of Andersen and Bollerslev (1997) shows how the contemporaneous aggregation of weakly dependent information flow processes can produce the property of long memory in volatility. A further justification is provided by Muller et al. (1997), who suggest that long memory in volatility can arise from the reaction of short-term dealers to the dynamics of a proxy for the expected volatility trend (coarse volatility), which causes persistence in the higher frequency volatility or (fine volatility) process.

While the above papers were concerned with the underlying causes of long memory volatility, other studies have essentially been more skeptical about the validity of the finding of the long memory property in volatility. In particular, it has been suggested that various types of structural change can explain extreme persistence of volatility, and can also generate a series that appears to have long memory. In particular, Mikosch and Starica (1998) and Granger and Hyung (2004) have presented theoretical and simulation evidence that spurious long memory can be detected from a time series with breaks. Moreover, while Granger and Hyung (2004) have found that an occasional breaks model provides an inferior forecasting performance than a long memory model for S&P500 absolute returns, for the same series Starica and Granger (2005) have found that a non-stationary model, allowing for breaks in the unconditional variance, can outperform a long memory model in forecasting, but not at short horizons.¹ Furthermore, Diebold and Inoue (2001) have shown how Markov switching processes could generate long memory in the conditional mean, while Granger and Terasvirta (1999) have shown that a process that switches in sign has the characteristics of long memory.

The possible occurrence of structural breaks in conditional variance processes, generating extreme persistence of the IGARCH form, appears to have been originally suggested by Lamoreaux and Lastrapes (1990) and Diebold (1986). Theoretical explanations for the above findings have been provided in Morana (2002) and Hillebrand (2005), and studies by Lobato and Savin (1998), Beran and Ocker (1999), Beine and Laurent (2000), Morana and Beltratti (2004) and Martens et al. (2004) have suggested that an appropriate model for the volatility of financial returns should include the joint occurrence of long memory and structural change. These studies are generally consistent with the previous literature such as Hamilton and Susmel (1994),² which considered alternating regimes of high and low volatilities, each one being characterized by strong persistence in their fluctuations. Economic explanations of the phenomenon have been suggested by Schwert (1989), who relates alternating volatility regimes to fluctuations in fundamental uncertainty and leverage effects over the business cycle. Also, Beltratti and Morana (2006) relate breaks in stock market volatility to macroeconomic volatility, possibly determined by monetary policy reactions in response to business cycle conditions; while Engle and Rangel (2008) emphasize the role of market size in addition to macroeconomic uncertainty.

Given the above summary of the previous research, this present paper starts from the proposition that both long memory and structural breaks are likely to be present in the volatility processes of many economic and financial time series. Its main contribution is then to present a model which allows for both long memory and structural change in a volatility process. The proposed model is named Adaptive FIGARCH, or A-FIGARCH, and augments the standard FIGARCH model of Baillie et al. (1996a) with a deterministic component, following Gallant (1984)'s flexible functional form. Hence, the A-FIGARCH model allows for a stochastic long memory component and a deterministic break process component. The approach does not require pre-testing for the number of break points; nor does it require any smooth transition between volatility regimes; and has the advantage of being computationally straightforward.³

The rest of this paper is organized as follows. Section 2 introduces the A-FIGARCH model and its theoretical properties. Section 3 presents some Monte Carlo evidence for inference in the model and Section 4 presents an empirical application based on equity market returns. The paper ends with a short concluding section.

2. The Adaptive FIGARCH process

The Adaptive FIGARCH, or A-FIGARCH process is formed from two basic components of a long memory volatility process and a deterministic time-varying intercept which allows for breaks, cycles and changes in drift. By definition $\{y_t\}$ is a discrete time, real-valued stochastic process that is serially uncorrelated in its conditional mean, and has long memory type in its conditional variance process. Hence,

$$y_t \equiv \sigma_t z_t, \quad (1)$$

where $E_{t-1}[z_t] = 0$ and $\text{Var}_{t-1}[z_t] = 1$; σ_t is a positive, time-varying measurable function with respect to the information set available at time $t - 1$, which is denoted as Ω_{t-1} . Hence, σ_t^2 is the time dependent conditional variance defined as $\sigma_t^2 = \text{Var}_{t-1}(y_t^2) = \text{Var}(y_t^2|\Omega_{t-1})$ and, following Baillie et al. (1996a), is expressed as the long memory FIGARCH(p, d, q) process

$$[1 - \beta(L)]\sigma_t^2 = w + [1 - \beta(L) - \phi(L)(1 - L)^d]y_t^2. \quad (2)$$

The process can be most easily motivated from representing $\{y_t^2\}$ as the ARFIMA(m, d, q) model

$$\phi(L)(1 - L)^d y_t^2 = w + (1 - \beta(L))v_t, \quad (3)$$

¹ The finding that accounting for structural change may not be relevant for short-term forecasting is a robust finding in the literature. See for instance the discussion in Diebold and Inoue (2001) and the empirical results in Morana and Beltratti (2004).

² See also Haas et al. (2004) for a recent contribution in the GARCH framework.

³ Indeed the proposed model is easily estimable with available menu-driven packages as for instance the G@RCH Ox interface.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات