

JAPIEST: An integral intelligent system for the diagnosis and control of tomatoes diseases and pests in hydroponic greenhouses

V. López-Morales ^{a,*}, O. López-Ortega ^a, J. Ramos-Fernández ^b, L.B. Muñoz ^a

^a Centro de Investigación en Tecnologías de Información y Sistemas, Universidad Autónoma del Estado de Hidalgo, Carr. Pachuca – Tulancingo km. 4.5, Pachuca 42090, Mexico

^b Universidad Tecnológica de Tula Tepeji, (UTTT) Carr. Tula – Tepeji, Km. 8.0, Col. El 61, Ejido El Carmen Tula de Allende, Hgo., Mexico

Abstract

Automated Hydroponic Greenhouses represent novel food production systems which include modules for supervising the cultivated soil, packaging plans, as well as prevention, diagnosis and control of pests and diseases. In this setting, we propose the design and implementation of an Integral Intelligent System called JAPIEST, which is focused on the prevention, diagnosis and control of diseases that affect tomatoes (*Lycopersicon esculentum*). Plants are farmed inside hydroponic greenhouses, whose particular conditions of temperature, humidity and nutrient consumption rates can influence directly the surge of plagues or diseases. It is relevant to detect and control the occurrence of any given pest or disease because plants are utterly sensitive to variations of environmental conditions and they have a short induced lifecycle. JAPIEST is a novel and valuable tool for farmers to make an early decision of the candidate disease, and then apply a suitable control treatment, based on Integrated Pest Management.

© 2007 Elsevier Ltd. All rights reserved.

Keywords: Integrated Pest Management; Multi-expert decision; Multi-platform intercommunication system; Multi-level access

1. Introduction

Agricultural production in Mexico has been limited by a series of natural, economical, social, and political factors. Furthermore, about eighty percent of the total productive surface has erratic rain seasons (López-Morales et al., 2006). Besides, the integration of the country in the North-America Free Trade Agreement (NAFTA) makes it compulsory to comply with strict environmental regulations. Both constraints evidence the complexity and difficulties that Mexican farmers currently face. Hence, it is necessary to incorporate technological innovations and improve this productive activity. Two important trends are surging to meet this aim. First, a set of methods based

on the well-known Integrated Pest Management (IPM), and on the other hand, the emergence of Automated Hydroponics Greenhouses (AHG). While IPM tackles the right handling of pesticides to comply with environmental restrictions, AHG's are a solution to overcome seasonal farming. Therefore, it is possible to develop superior AHG integrating IPM techniques, which are spread through diverse geographical sites, to further bringing them cooperation and autonomy capabilities. Such AHG's are to share information and knowledge in order to manage adequately crop production cycles, and to reduce the risk of pest or diseases.

Unfortunately, many negative consequences by not fulfilling with the environmental standards for pesticides residues have been reported (Dierksmeier, 1996; Robinson, Henry, & Mansingh, 2002). Consequently, IPM has been widely adopted as a solution to pollution due to pesticides. IPM techniques state that when the so-called infestation levels exceed the economic injury levels, a combination of

* Corresponding author. Tel.: +52 7717172197.

E-mail addresses: virgilio@uaeh.edu.mx (V. López-Morales), olopez27@prodigy.net.mx (O. López-Ortega), jramos@utt.edu.mx (J. Ramos-Fernández), belen_1911@hotmail.com (L.B. Muñoz).

biological, cultural, mechanical and chemical control methods are the best approach to reduce infestation levels. Moreover, IPM pays close attention to the foreseen impact of a particular pesticide in the ecosystem under consideration (cf. Institute, 2007; Greenberg, Sappington, Elzen, Norman, & Sparks, 2004).

However, a complete implementation of IPM requires knowledge of the crop itself, the types of pests that affect the crop, and the biological cycles of the plant. Although the environmental and economical benefits of IPM are well acknowledged, it is required a sheer amount of knowledge on the former topics. Unfortunately, the required knowledge resides typically on a number of different experts, and it is not always available to Hydroponic Greenhouses (HG) owners. Hence, we propose to realize this knowledge available by developing an integral kit, for HG (López-Morales et al., 2006), covering a number of technological innovations.

In this paper, we state the design and implementation of an intelligent pest management system called JAPIEST. The proposed intelligent system integrates the perspectives of different disciplines, such as plant pathology, entomology, horticulture and agricultural meteorology, into a framework that addresses appropriately the type of decision making needed by plant growers (in our case study tomatoes growers). Hence JAPIEST provides a decision support system integrating important IPM features, which are reflected in both, the rule base and the treatment further suggested. The system is inspired in the work presented by Toth, Stinner, Burr, and Kent (2001) and Greenberg et al. (2004). Although such systems are valuable, we intend to facilitate and support the construction of crop profiles and the generation of strategic plans to improve the management of diseases and pests. The usefulness of both, profiles and plans resides on being information sources regarding current pest management practices.

Some related expert systems in agriculture for different products are already reported (Crowe & Mutch, 1994; Rafea, El-Azhari, Ibrahim, Edres, & Mahmoud, 1995; Flamm et al., 1991) and some developments on IPM methods (Saunders et al., 1987; Mansigh, Reichgelt, & Bryson, 2007; El-Sayed, Hesham, & Ahmed, 2000; Prasad, Ranjan, & Sinha, 2006). Nevertheless, they did not provide access through the Internet, or they are based on closed platforms which cannot be updated, exploited (data mining), or hierarchically organized in a network platform. These two drawbacks are tackled since the conception of JAPIEST, which provide these kind of capabilities.

To describe the conception and construction of JAPIEST, the paper is organized as follows. In Section 2, we state the diseases and pests identification to characterize the main harmful species for tomatoes. Section 3 describes the knowledge acquisition process that was followed to establish the rule base. Section 4 illustrates the design of JAPIEST, and then in Section 5 is exemplified. Finally, in Section 6 we delineate the conclusions and propose future work.

2. Diseases and pests identification

Tomatoes is one of the food products most cultivated worldwide. Mexico ranked 9th in the global production, contributing with 2.1 millions of tons (MTn), while China took the first place with 31.6 MTn, and the USA the 2nd with 12.7 MTn.

For a detailed identification of and suitable planification for the treatment of the diseases and pests, it was necessary to classify the main characteristics of harmful species, from every cultivation area or region. Some of these characteristics include morphological (mature form and unripe states) and biological (damage, supervision, and handling) properties. Tables 1 and 2 show an extract of these diseases and pests identification in order to visualize some of the harmful species for tomatoes.

3. Knowledge acquisition methodology

To facilitate the construction of JAPIEST, domain experts were trained to master a technique for representing and acquiring knowledge, called dependency networks. This technique yields easily a graphical representation of the resultant rule base, since knowledge acquisition is a critical step in developing expert system (Gaines, 1987). Once the required knowledge was represented, programmers actually completed the Java codification of the rules. Consequently, domain experts acted as the source of knowledge and the designers of the expert system. The advantage of this technique resides on the high accuracy of the resultant rule base, as has been acknowledged also in PSAOC (2007). Domain experts are entirely aware of the extent of the knowledge they possess, they determine clearly what is the decision process like, and they intuitively fix the relevant variables for such decision making

Table 1
Main pests affecting tomatoes

	Insects	Mites	Nematodes
Suckers	Aphides/White fly/ Trips/...	White acarus	
Masticator	Caterpillar/Worm		
Miners	Leaf miner		Root nematode

Table 2
Main diseases affecting tomatoes

Bacterized	Fungi	Virals
Bacterial cancer	Antractnosis	TMV
Bacterial spot	Stem cancer/Alternariosis	ToMV
Black spot	Cenicilla	TYLCV
Wilted by bacterias	Fusarium/Gray spot on the leave/ Gray mildew/White mildew/ Alternaria Solanis/Alternaria/ Verticilium	TSWV/ CMV PVY/TBSV

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات