



## Use of parallel deterministic dynamic programming and hierarchical adaptive genetic algorithm for reservoir operation optimization

Zhongbo Zhang<sup>a</sup>, Shuanghu Zhang<sup>b,\*</sup>, Yuhui Wang<sup>c</sup>, Yunzhong Jiang<sup>b</sup>, Hao Wang<sup>a,b</sup>

<sup>a</sup> State Key Laboratory of Hydraulic Engineering Simulation and Safety, Tianjin University, Tianjin 300072, China

<sup>b</sup> State Key Laboratory of Simulation and Regulation of Water Cycle in River Basin, China Institute of Water Resources and Hydropower Research, Beijing 100038, China

<sup>c</sup> College of Environmental Science and Engineering, Donghua University, Shanghai 201620, China

### ARTICLE INFO

#### Article history:

Received 21 September 2012

Received in revised form 21 December 2012

Accepted 3 February 2013

Available online 26 February 2013

#### Keywords:

Parallel

Reservoir operation optimization

Hierarchy

Algorithm

### ABSTRACT

Reservoir operation optimization (ROO) is a complicated dynamically constrained nonlinear problem that is important in the context of reservoir system operation. In this study, parallel deterministic dynamic programming (PDDP) and a hierarchical adaptive genetic algorithm (HAGA) are proposed to solve the problem, which involves many conflicting objectives and constraints. In the PDDP method, multi-threads are found to exhibit better speed-up than single threads and to perform well for up to four threads. In the HAGA, an adaptive dynamic parameter control mechanism is applied to determine parameter settings, and an elite individual is preserved in the archive from the first hierarchy to the second hierarchy. Compared with other methods, the HAGA provides a better operational result with greater effectiveness and robustness because of the population diversity created by the archive operator. Comparison of the results of the HAGA and PDDP shows two contradictory objectives in the ROO problem-economy and reliability. The simulation results reveal that: compared with proposed PDDP, the proposed HAGA integrated with parallel model appears to be better in terms of power generation benefit and computational efficiency.

© 2013 Elsevier Ltd. All rights reserved.

### 1. Introduction

The water resource crisis is increasingly becoming challenging and complicated, posing a dilemma for stakeholders desiring effective water allocation. Reservoir operation optimization (ROO) facilitates not only water resource allocation that yields maximum benefits with respect to multiple objectives in areas such as agriculture, energy, and industry but also rational water exploitation and hydropower generation. Moreover, for obtaining solutions to ROO problems, advanced computational technology and improved algorithms are used for enhancing the computation efficiency. ROO can be used for formulating, analyzing, and solving operation optimization problems in water resource planning (Loucks, Stedinger, & Haith, 1981; Yeh, 1985).

Most methods used for ROO analysis involve conventional optimization algorithms and various metaheuristic algorithms. Over the past several decades, a wide range of methods have been proposed to solve ROO problems. Those reported to be effective are linear programming (LP) (Jabr, Coonick, & Cory, 2000), nonlinear programming (NLP) (Chen, 2007; Takriti & Krassenbrink, 1999), quadratic programming (QP) (Papageorgiou & Fraga, 2007), and Lagrangian relaxation (LR) (Hindi & Ghani, 1991; Keib, Ma, & Hart,

1994). Dynamic programming (DP) is a powerful optimization technique that is applied to ROO and is considered to be a conventional optimization algorithm in reservoir operation. Among the traditional optimization techniques for reservoir operation, DP (Travers & Kaye, 1998) boasts high popularity. In other methods, there may be difficulties in finding the optimal solution. In the case of LP, the nonlinear and unsmooth characteristics of ROO problems are often ignored during linearization, generating large errors in the optimal operation. In NLP and QP, the objective function should be continuous and differentiable. Moreover, some approximations are necessary in the formulation when NLP and QP are used, and they may lead to inaccurate solutions when a continuous and differentiable objective function is used. In LR, Lagrange multipliers with updating strategy are used, and therefore, the method suffers from oscillations in the optimal result. In contrast, DP imposes no restrictions on the unsmooth and nonconvex nature of the ROO problem, which makes it superior. The ROO problem is a highly constrained nonlinear discrete dynamic optimization problem solved by complete enumeration with a DP solver.

The theory of DP, first used by Bellman in the early 1950s (Bellman, 1957), resulted in the principle of optimality. This principle is useful for solving problems with a separated monotonic criterion function. DP is a method for efficiently solving a broad range of searching and optimization problems. It involves the use of the principle of optimality in the optimal region, and a recursive algorithm for dividing a decision process into several interrelated

\* Corresponding author. Tel.: +86 13581819570.

E-mail address: [zzbainiya@163.com](mailto:zzbainiya@163.com) (S. Zhang).

stages in terms of time, space, etc. Generally, the major objective of the ROO problem at a hydropower station aims to maximize the total power generation by utilizing the limited water resource for future stages. The application of DP to ROO is popular since the problem has been formulated as a differential DP problem. The theory of DP for large-scale problems has been studied by Yakowitz (1982), who reviewed the use of the method for solving a water resource planning problem. DP models can be classified into two categories: stochastic dynamic programming models with uncertainty factors, and deterministic DP (DDP) models. For reservoir operating rule generation, Karamouz and Houck (1987) compared stochastic DP (SDP) and DDP with regression (DPR). They found that the DPR model performs better for large reservoirs with capacities exceeding 50% of the mean annual flow. DDP has also been applied to an ROO problem in which uncertain factor evaluation is not considered, and it may actually provide the optimal result. Although the DDP can solve the reservoir optimization problem, the high dimensionality of the problem poses difficulties and might not converge within a reasonable time, especially for large-scale hydropower systems. The practical limitation of DP is obvious as the number of possible decisions increases with the number of reservoirs. Further, the computational accuracy should be improved, which would result in a low computational efficiency. Therefore, the implementation of DDP in parallel, which would reduce the run-time, would significantly increase the efficiency of such parallel model.

Some hydraulic models, such as TRENT, CalTwiMS, TELEMAR, and RMA, use the message passing interface (MPI) (Gropp, Lusk, & Skjellum, 1994) and domain decomposition for simulations in parallel. Recently, the JFLOW diffusive wave model used graphics processing units (GPUs). However, these parallel tools hide a considerable amount of complexity. The computational strength of modern microprocessors has increased with the development of various commercial multi-threaded processors. Nowadays, the most popular parallel systems are based on shared memory. We can use the multi-threading feature of the hardware, which distinguishes these systems from traditional shared multi-processor systems, distributed memory systems, or hybrid distributed-shared memory systems. Consequently, increasing the thread-level parallelism becomes paramount for achieving the maximum potential performance from shared-memory multi-processor systems built with shared-memory threading processors. The parallel implementation of DDP involving complex data structures and memory allocation is used for ROO with a shared memory system that employs open multiprocessing (OpenMP). OpenMP (Chapman, Jost, & van der Pas, 2007) is a set of compiler directives with library routines that is used for creating an application program interface (API) for supporting multi-platform shared-memory parallel programming in FORTRAN, C, and C++ on all architectures, including UNIX and Windows NT platforms. Key advantages of OpenMP include easy implementation and the minimal recoding required for implementation in parallel. An OpenMP code can be developed on one platform and deployed on any other platform installing an OpenMP compiler. These parallel machines are built upon a set of processors that have access to a common memory by exchanging data between concurrent tasks without communicating with any processor and that communicate data by writing or reading shared data. We adopt a parallel DDP (PDDP) FORTRAN code that is implemented in parallel for ROO.

Owing to the lack of computational efficiency for ROO in the case of DP, modern heuristic stochastic search algorithms such as the genetic algorithm (GA) (Baskar, Subbaraj, & Rao, 2003; Chiang, 2007), evolutionary programming (EP) (Basu, 2004), simulated annealing (SA) (Basu, 2005), particle swarm optimization (PSO) (Cai, McKinney, & Lasdon, 2001), and the differential evolution algorithm (DE) have been extensively used to solve the ROO prob-

lem without any restriction on the unsmooth and nonconvex characteristics of the problem. In recent decades, the GA has become widely used for the application of global optimization to ROO. Because of the increase in the complexity of ROO with the dimensionality, a large-scale ROO problem with an enormous number of variables and constraints must be decomposed into sub-problems to enhance the robustness of searching. Therefore, ROO problems can be alternatively solved by the GA. The genetic algorithm (Baskar et al., 2003) was formally introduced in the 1970s by John Holland (Holland, 1992). It has been proved to be effective in solving optimization and search problems in many fields of study (Chen, 1998; Goldberg, 1989; Karr, 1991; Kung & Chen, 1997; Lin, 1997). The GA is an adaptive heuristic search algorithm that mimics the principles laid down in Darwin's theory of evolution and successively applies genetic operators such as selection, crossover (recombination), and mutation to iteratively improve the fitness of a population and reach the global optimum in the search space. It is one of the most promising algorithms, and the population-by-population method is the most important characteristic of the GA when compared to the point-to-point method of DP (Goldberg & Kuo, 1987). In recent decades, the GA has become popular for the application of global optimization to reservoir planning and management for scientific research and in the field of engineering (Cai et al., 2001; Chaves & Chang, 2008; Chen & Chang, 2007, 2009; Huang, Yuang, & Lee, 2002). However, the GA has not really been suitable for complex nonlinear problems like ROO problems.

The GA starts with a randomly generated initial population and improves the fitness of solutions through iterations by implementing operators such as scheme selection (reproduction), crossover, and mutation. A crossover operation leads to a mixture of chromosomes in the offspring without creating new allelic material. This can lead to slow convergence toward the same sub-optimal solution. Srinivas and Deb (1995) put forward the adaptive genetic algorithm (AGA) with adaptive crossover and mutation. The probabilities of crossover and mutation vary depending on the fitness values of the solutions, thus improving the convergence rate and robustness (Chen, Chen, & Chiang, 2009). Solutions with high fitness are preserved, while those with sub-average fitness are completely disrupted. However, the AGA is still challenging without the consideration of the initial population diversity. Preserving population diversity is crucial for a successful and efficient search of complex multimodal response surfaces. Lack of population diversity often results in convergence to a sub-optimal solution, whereas excessive diversity results in the inability to further refine solutions for closer approximation. As the number of decision variables increases in ROO problems, the search process becomes ineffective within the vast amount of GA chromosomes and results in slow evolution between consecutive generations. Consequently, the probability of converging to the optimal solution decreases sharply. In this paper, an improved AGA was proposed for solving ROO problems. We used the hierarchical structure of the archive scheme to change population diversity, and we proposed a hierarchical adaptive genetic algorithm (HAGA).

Failure to improve the efficiency of and remove the deficiency in the algorithm used for solving the ROO problem may lead to either excessive computation or unsatisfactory solutions. In this study, we also discussed the prime characteristics of ROO problems and a DDP algorithm with a parallel model. We also apply improved conventional and metaheuristic algorithms to ROO. A new parallel DDP (PDDP) approach incorporating both computational efficiency and optimal decisions was presented for the Three Gorges Project (TGP). An improved AGA (HAGA) incorporating optimal decisions was applied to the TGP, and the parallel model was also applied to HAGA. Moreover, outlines of PDDP and HAGA optimization techniques applied to ROO problems were presented (Fig. 1).

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات