

# Accepted Manuscript

Parameter selection based on fuzzy logic to improve UAV path-following algorithms


Pablo Garcia-Aunon, Matilde Santos Peñas, Jesus Manuel de la Cruz García

PII: S1570-8683(16)30082-9

DOI: <http://dx.doi.org/10.1016/j.jal.2016.11.025>

Reference: JAL 456

To appear in: *Journal of Applied Logic*



Please cite this article in press as: P. Garcia-Aunon et al., Parameter selection based on fuzzy logic to improve UAV path-following algorithms, *J. Appl. Log.* (2016), <http://dx.doi.org/10.1016/j.jal.2016.11.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Parameter selection based on fuzzy logic to improve UAV path-following algorithms

Pablo Garcia-Aunon<sup>\*a</sup>, Matilde Santos Peñas<sup>a</sup>, Jesus Manuel de la Cruz García<sup>b</sup>

<sup>a</sup>Computer Science School, University Complutense of Madrid  
C/ Profesor García Santasmases 9, 28040-Madrid, Spain

E-mail: pablogarciaaunon@gmail.com (P. García-Auñón), msantos@ucm.es (M. Santos)

<sup>b</sup>Physics School, University Complutense of Madrid  
Avda. Complutense s/n, 28040-Madrid, Spain

E-Mail: jmcruz@ucm.es (J.M. Cruz)

<sup>\*</sup>Corresponding author

## Abstract

In order to steer an Unmanned Aerial Vehicle (UAV) and make it follow a desired trajectory, a high level controller is needed. Depending on the control algorithm, one or more parameters have to be tuned, having their values high impact on the performance. In most of the works, these parameters are taken as constant. In this paper, we apply fuzzy logic to select the parameters of the control law and compare this approach with the tuning by constant parameters and with another adjusting method based on the kinematic analysis of the equations of the UAV. After many simulations of the quadrotor following randomly generated paths, we have proved that the fuzzy tuning law is not only a good and feasible solution, but also more general as it can be applied to any trajectory.

Keywords: Fuzzy logic, Kinematic analysis, Path-following, Unmanned aerial vehicle (UAV), Quadrotor.

## 1 Introduction

One of the most basic mission that an Unmanned Aerial Vehicle (UAV) has to fulfill is to be able to accurately follow a given path. We can define the path-following task as following a given geometric trajectory independently of the variable time.

There exists many different methods and strategies to follow a path. Some of them were designed to be used for fix-winged UAVs, others for bidimensional movements. A good classification of methods and a comparison between them can be found in [22]. Among all the strategies, we can name carot-chasing algorithms [23], non-linear guidance laws [19], pure pursuit [3], vector-field-based laws [12] and linear quadratic regulators [15].

In most of the UAVs two levels of control are used; on the one hand, a low level controller is in charge of stabilizing its dynamics [6]. On the other, a high level one steers it so that it follows a desired trajectory. Being that the case, a sufficient difference in the time response between them must be ensured. Typically the inner loop must be  $\sim 2$ -4 times faster than the outer one [16]. This is the most common situation, the path-following algorithm controls the kinematics and generates the commands to the inner loop controller (usually a commercial autopilot).

Those high level control algorithms normally depend on different parameters, which are interrelated. Some of them have a physical meaning, others are just coefficients controlling the convergence of the system. Frequently, adapting continuously the parameters to the shape of the path, as the UAV travels along it, improves significantly its performance.

If the parameters have a low influence on the system response, which seldom occurs, they might be taken as constants with a value obtained based on the experience. In other cases, mostly when the constant has a clear physical meaning, one might be able to propose a natural value or function for it, sometimes implying the appearance of new parameters.

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات