



A Lagrangian relaxation based approach for the capacitated lot sizing problem in closed-loop supply chain

Zhi-Hai Zhang*, Hai Jiang, Xunzhang Pan

^a Department of Industrial Engineering, Tsinghua University, Beijing 100084, China

ARTICLE INFO

Article history:

Received 27 September 2010

Accepted 19 January 2012

Available online 30 January 2012

Keywords:

Capacitated lot sizing

Lagrangian relaxation

Closed-loop supply chain

ABSTRACT

This paper investigates the capacitated lot sizing problem in closed-loop supply chain considering setup costs, product returns, and remanufacturing. We formulate the problem as a mixed integer program and propose a Lagrangian relaxation-based solution approach. The resulting Lagrangian subproblems are then solved by polynomial time algorithms. Compared to existing solution methods in the literature, our Lagrangian relaxation based approach is advantageous in that it naturally provides a lower bound on the optimal objective function value, which allows us to assess the quality of solutions found. Numerical experiments using synthesized data demonstrate that our approach can find quality solutions efficiently.

© 2012 Elsevier B.V. All rights reserved.

1. Introduction

In recent years, the lot sizing problem (LSP) in closed-loop supply chain has received growing attention (Jr. and Wassenhove, 2009). Unlike traditional supply chain, where products flow from manufacturers to customers, in closed-loop supply chain, the manufacturers often setup a program to collect used products from customers and further process them to make a profit or reduce their environmental impacts. Such collection programs then incur reverse product flows from customers back to manufacturers and form what is called a closed-loop supply chain. In closed-loop supply chain, the lot sizing problem needs to take into consideration not only time-varying demands for a set of products over certain periods but also the inventory costs and processing costs associated with collected used products. The goal is to produce a cost-minimizing production schedule, that is, the production quantities for each product at each period (Brahimi et al., 2006b). In this paper, we study the capacitated lot sizing problem in closed-loop supply chain where setup costs, product returns and remanufacturing are considered.

Our research originated from the collaboration with a paper product manufacturer. Besides making newly manufacturers paper product from virgin pulp, the manufacturer also utilizes deinked pulp processed from collected recyclable paper to make remanufactured product. The two paper products made from virgin pulp and deinked pulp are branded differently to serve different market segments. In its plant, the production using virgin pulp and that using deinked pulp are subject to an overall

production capacity limit. When recyclable paper products can not be processed into deinked pulp fast enough, they incur inventory cost at the warehouse. The manufacturing cost for virgin pulp and the remanufacturing cost for de-inkeed pulp are different and so are the demands and prices of the final paper products made from the two types of pulps.

Since the pioneering work of Wagner and Whitin (1958), there has been a growing interest in lot sizing problem. For a review of lot sizing problems, their extensions and solution approaches, please refer to Karimi et al. (2003), Brahimi et al. (2006b), Degraeve and Jans (2007), Quadt and Kuhn (2008) and Buschkuhl et al. (2010). Recent research can be referred to Hop and Tabucanon (2005), Brahimi et al. (2006a), Pan et al. (2009), Süral et al. (2009), Smith et al. (2009), Cárdenas-Barrón (2010), Önal and Romeijn (2010), Piñeyro and Viera (2010), Helber and Sahling (2010), Sancak and Salman (2011), Kenné et al. (2011).

Existing literature on capacitated closed-loop lot-sizing problem is limited. Li et al. (2007) examine the capacitated lot sizing problem with substitutions and return products. They first develop a heuristic genetic algorithm (GA) to determine all periods requiring production setup and then take a dynamic programming approach to determine the quantities produced for new products and remanufactured products. The performance of their heuristic genetic algorithm is compared to a branch-and-bound algorithm implemented in Lingo. Although genetic algorithm can produce good feasible solutions, it is difficult to gage its optimality. More recently, Pan et al. (2009) study the capacitated lot sizing problem in closed-loop supply chain where returned products are collected from customers. They look at several variants of the problem and take a dynamic programming (DP) approach to solve the models. In the variant where both production and remanufacturing are capacitated, a pseudo polynomial time algorithm is proposed. Experiments show that their approach can find optimal solutions for small problem instances, however, for

* Corresponding author. Tel.: +86 010 62772874; fax: +86 010 62794399.

E-mail addresses: zhzhang@tsinghua.edu.cn (Z.-H. Zhang),

haijiang@tsinghua.edu.cn (H. Jiang), pxzxs06@gmail.com (X. Pan).

large-scale problems, dynamic programming based approaches suffer from the renowned problem of "curse of dimensionality" and it is difficult, if not impossible, to solve the model.

In this paper, we study a variant of the capacitated lot sizing problem in closed-loop supply chain. The problem context in our mind is as follows. A factory produces two types of products, one manufactured from raw materials and the other remanufactured from collected used products. The demands for these two products are separate, deterministic, and time varying during a finite planning horizon, and should be satisfied without backlogging. The total production capacity for manufacturing new product and remanufacturing used product are limited. We formulate the problem as a mixed integer programming model and develop a Lagrangian relaxation (LR) based solution approach. The Lagrangian subproblems are solved by polynomial time algorithms. Compared to existing GA or DP based algorithms, our approach is advantageous in that: (a) the LR approach can provide a lower bound to assess the quality of solutions found while GA approach cannot; and (b) although the DP approach can find optimal solutions to small size problems, it often fails for larger instances. Computational experiments demonstrate that our approach can find satisfactory solutions efficiently.

The remainder of the paper is organized as follows. In Section 2, we define notations used in this paper and present our model. We discuss the details of our Lagrangian relaxation based approach in Section 3. In Section 4, we perform extensive computational experiments to evaluate the performance of the algorithm. Finally, we conclude this paper and outline future research directions in Section 5.

2. Notation and model formulation

We assume that the facility in focus produces one type of product. Simultaneously, it collects returned product and makes remanufacturing production. The amount of returned products is deterministic over the planning horizon. New products and remanufactured products face deterministic but time-varying demands for a finite planning horizon and should be satisfied separately without backlogging. The costs consist of a fixed setup cost incurred whenever production is scheduled, a linear production cost proportional to the production quantity, and a linear inventory holding cost. All of the cost components are considered for both manufacturing and remanufacturing activities. In addition, the inventory holding cost of returned products is taken into account as well. Tables 1 and 2 summarize the notation used in this paper.

Without loss of generality, we further make the following underlying assumptions.

- The demands for new products and remanufactured products are separate and backlog is not allowed.

Table 1
Data and parameters.

T	Number of time periods in the planning horizon
S_t	Setup cost for manufactured new products in period t
U_t	Setup cost for remanufactured products in period t
P_t	Unit production cost for new products in period t
r_t	Unit production cost for remanufactured products in period t
H_t	Unit holding cost for new products in period t
h_t	Unit holding cost for remanufactured products in period t
h_r	Unit holding cost for returned products in period t
D_t	Demand of new products in period t
d_t	Demand of remanufactured product in period t
R_t	Quantity of returned product in period t
C_t	Available capacities for manufacturing and remanufacturing activities in period t
M	A sufficiently large positive number

Table 2
Decision variables.

α_t	1, if new products are manufactured in period t ; 0, otherwise
x_t	Quantity of new products manufactured in period t
I_t	Inventory stock of new products at the end of period t
β_t	1, if returned products are remanufactured in period t ; 0, otherwise
y_t	Quantity of returned products remanufactured in period t
i_t	Inventory stock of remanufactured products at the end of period t
i_{tr}	Inventory stock of returned products at the end of period t

- The manufacturing capacity is sufficient to meet the demands in each period, in particular we have:

1. The capacity can satisfy the demands for new products and remanufactured products simultaneously, i.e.,

$$\sum_{i=1}^t (D_i + d_i) \leq \sum_{i=1}^t C_i, \quad \forall t = 1, 2, \dots, T.$$

2. The quantity of returned products can satisfy the demand for remanufactured products, i.e.,

$$\sum_{i=1}^t d_i \leq \sum_{i=1}^t R_i, \quad \forall t = 1, 2, \dots, T.$$

3. The capacity can satisfy the demand of remanufactured products in each period, i.e.,

$$d_t \leq C_t, \quad \forall t = 1, 2, \dots, T.$$

- Initial inventory stocks are zero, i.e.,

$$I_0 = i_0 = i_{0r} = 0.$$

- Inventory holding cost of returned products is less than that of remanufactured products, i.e.,

$$\sum_{i=t}^T h_i^r \leq \sum_{i=t}^T h_i, \quad \forall t = 1, 2, \dots, T.$$

Now we formally present our model as:

$$\text{Min} \sum_{t=1}^T [(S_t \alpha_t + p_t x_t + H_t I_t) + (U_t \beta_t + r_t y_t + h_t i_t) + h_t^r i_{tr}], \quad (1)$$

$$\text{s.t. } I_t = I_{t-1} + x_t - D_t, \quad \forall t = 1, 2, \dots, T, \quad (2)$$

$$i_t = i_{t-1} + y_t - d_t, \quad \forall t = 1, 2, \dots, T, \quad (3)$$

$$i_{tr} = i_{tr-1} + R_t - y_t, \quad \forall t = 1, 2, \dots, T, \quad (4)$$

$$x_t + y_t \leq C_t, \quad \forall t = 1, 2, \dots, T, \quad (5)$$

$$x_t \leq M \alpha_t, \quad \forall t = 1, 2, \dots, T, \quad (6)$$

$$y_t \leq M \beta_t, \quad \forall t = 1, 2, \dots, T, \quad (7)$$

$$\alpha_t, \beta_t \in \{0, 1\}, \quad \forall t = 1, 2, \dots, T, \quad (8)$$

$$x_t, y_t \geq 0, \quad \forall t = 1, 2, \dots, T. \quad (9)$$

The objective function minimizes the sum of setup cost, production cost, and inventory cost for new products and remanufactured products in all periods. Constraints (2)–(4) are inventory balance constraints for new products, remanufactured products, and returned products, respectively. Constraints (5) represent capacity constraints for manufacturing and remanufacturing activities. Constraints (6) and (7) specify the setup costs of manufacturing and remanufacturing. Constraints (8) and (9) are standard integrality and non-negative constraints.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات