

Author's Accepted Manuscript

Effect of Cr content on the microstructures and stress rupture properties of a directionally solidified Ni-based superalloy during long-term thermal exposure

H.W. Zhang, X.Z. Qin, Y.S. Wu, L.Z. Zhou, X.W. Li



PII: S0921-5093(18)30190-4
DOI: <https://doi.org/10.1016/j.msea.2018.02.005>
Reference: MSA36092

To appear in: *Materials Science & Engineering A*

Received date: 11 December 2017
Revised date: 1 February 2018
Accepted date: 2 February 2018

Cite this article as: H.W. Zhang, X.Z. Qin, Y.S. Wu, L.Z. Zhou and X.W. Li, Effect of Cr content on the microstructures and stress rupture properties of a directionally solidified Ni-based superalloy during long-term thermal exposure, *Materials Science & Engineering A*, <https://doi.org/10.1016/j.msea.2018.02.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effect of Cr content on the microstructures and stress rupture
properties of a directionally solidified Ni-based superalloy during
long-term thermal exposure

H. W. Zhang^{a,b}, X.Z. Qin^{b†}, Y.S. Wu^b, L.Z. Zhou^b, X.W. Li^{a†}

^a Department of Materials Physics and Chemistry, School of Materials Science and Engineering,
and Key Laboratory for Anisotropy and Texture of Materials, Ministry of Education, Northeastern
University, Shenyang 110819, P.R. China,

^b Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, P.R. China

ABSTRACT

The effects of Cr addition on the microstructure and stress rupture property during long-term thermal exposure have been investigated in a directionally solidified Ni-based superalloy. The increment of Cr content resulting in the excessive precipitation of σ phase is the principal reason for the catastrophic reduction in stress rupture properties. The amounts of rounded cuboidal γ' and its coalescence increase, but the tendency of γ' alignment decreases with the increment of Cr content, which leads to the reduction of the stress rupture property to some degree. The change of lattice misfit shows a good agreement with the change of γ' morphology and the tendency of γ' alignment. The shape change of γ' is accompanied by the increase of the misfit dislocation density, which causes the rise of γ' coalescence. The increase of Cr content can promote the formation of $M_{23}C_6$ or M_6C in the vicinity of primary MC degeneration. Thus, the increased Cr content facilitates the decomposition of primary MC, which deteriorates the stress rupture properties. In addition, the increase of Cr content can promote the formation $M_{23}C_6$ and M_6C along grain boundaries (GBs), facilitating the formation of a semicontinuous chain to some degree and

[†] Corresponding author.
E-mail address: xwli@mail.neu.edu.cn (X.W. Li); xzqin@imr.ac.cn (X.Z. Qin)

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات