

Accepted Manuscript

Title: Graphitic Carbon Nitride Nanosheets-Based Turn-On Fluorescent Biosensor for Highly Sensitive, Label-Free Detection of Adenylate Kinase Activity

Authors: Lu Liu, Jin-Wen Liu, Lu-Ying Duan, Feng-Yan Luo, Yu-Min Wang, Ru-Qin Yu, Jian-Hui Jiang



PII: S0925-4005(18)30714-7
DOI: <https://doi.org/10.1016/j.snb.2018.04.018>
Reference: SNB 24493

To appear in: *Sensors and Actuators B*

Received date: 6-2-2018
Revised date: 3-4-2018
Accepted date: 4-4-2018

Please cite this article as: Lu Liu, Jin-Wen Liu, Lu-Ying Duan, Feng-Yan Luo, Yu-Min Wang, Ru-Qin Yu, Jian-Hui Jiang, Graphitic Carbon Nitride Nanosheets-Based Turn-On Fluorescent Biosensor for Highly Sensitive, Label-Free Detection of Adenylate Kinase Activity, *Sensors and Actuators B: Chemical* <https://doi.org/10.1016/j.snb.2018.04.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphitic Carbon Nitride Nanosheets-Based Turn-On Fluorescent Biosensor for Highly Sensitive, Label-Free Detection of Adenylate Kinase Activity

Lu Liu, Jin-Wen Liu, Lu-Ying Duan, Feng-Yan Luo, Yu-Min Wang*, Ru-Qin Yu, Jian-Hui Jiang*

Institute of Chemical Biology and Nanomedicine, State Key Laboratory of Chemo/Bio-Sensing and Chemometrics, College of Chemistry and Chemical Engineering, Hunan University, Changsha, Hunan 410082, P. R. China

*Corresponding author:

Tel.: +86-731-88821961

Fax: +86-731-88821916

E-mail address: yuminwang@hnu.edu.cn or jianhuijiang@hnu.edu.cn

Highlights

- The exploration of CNNS-based application in biosensing field was expanded. It is realized for the first time that the activity of enzyme ADK is assessed by fluorescent CNNS probe.
- A turn-on biosensor was established by using CNNS to detect ADK. The limit of detection towards ADK is down to 0.06 U/L, which is comparable or better than most of the previously reported methods.
- The design of CNNS-based strategy affords a simple, label-free and low-cost

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات