

Accepted Manuscript

Rank Minimization with Applications to Image Noise Removal


Yu-Mei Huang, Hui-Yin Yan, You-Wei Wen, Xue Yang

PII: S0020-0255(16)30925-2
DOI: [10.1016/j.ins.2017.10.047](https://doi.org/10.1016/j.ins.2017.10.047)
Reference: INS 13222

To appear in: *Information Sciences*

Received date: 16 September 2016
Revised date: 14 September 2017
Accepted date: 20 October 2017

Please cite this article as: Yu-Mei Huang, Hui-Yin Yan, You-Wei Wen, Xue Yang, Rank Minimization with Applications to Image Noise Removal, *Information Sciences* (2017), doi: [10.1016/j.ins.2017.10.047](https://doi.org/10.1016/j.ins.2017.10.047)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Rank Minimization with Applications to Image Noise Removal[☆]

Yu-Mei Huang^a, Hui-Yin Yan^a, You-Wei Wen^b, Xue Yang^a

^a*School of Mathematics and Statistics, Lanzhou University, Lanzhou, 730000, P.R. China*

^b*Key Laboratory of High Performance Computing and Stochastic Information Processing, College of Mathematics and Computer Science, Hunan Normal University, Changsha, Hunan 410081, P.R. China.*

Abstract

Rank minimization problem has a wide range of applications in different areas. However, since this problem is NP-hard and non-convex, the frequently used method is to replace the matrix rank minimization with nuclear norm minimization. Nuclear norm is the convex envelope of the matrix rank and it is more computationally tractable. Matrix completion is a special case of rank minimization problem. In this paper, we consider directly using matrix rank as the regularization term instead of nuclear norm in the cost function for matrix completion problem. The solution is analyzed and obtained by a hard-thresholding operation on the singular values of the observed matrix. Then by exploiting patch-based nonlocal self-similarity scheme, we apply the proposed rank minimization algorithm to remove white Gaussian additive noise in images. Gamma multiplicative noise is also removed in logarithm domain. The experimental results illustrate that the proposed algorithm can remove noises in images more efficiently than nuclear norm can do. And the results are also competitive with those obtained by using the existing state-of-the-art noise removal methods in the literature.

Keywords: Rank minimization problem; Nuclear norm; White Gaussian additive noise removal; Gamma multiplicative noise removal; Nonlocal self-similarity; Block matching

2010 MSC: 68U10, 94A08

1. Introduction

Rank minimization exists in a wide range of scientific applications such as controller design, system identification, computer vision and machine learning, etc. See, for instance, [19]. More recently, based on the idea of nonlocal self-similarity between patches in a noisy image, rank minimization problem has been actively applied in image denoising and significant recovering effects have been made, see, for instance, [22, 25, 27]. In this section, we give a review of matrix rank minimization problem and its applications in image restoration.

1.1. Rank Minimization Problem

Rank minimization problem is generally formulated as:

$$\begin{aligned} \min \text{rank}(X), \\ \text{s.t. } X \in \mathcal{C}. \end{aligned}$$

Where $\text{rank}(\cdot)$ is the rank of the given matrix, $X \in \mathbb{R}^{n_1 \times n_2}$ is the unknown low-rank matrix, \mathcal{C} is a convex set. Since rank minimization problem is NP-hard and non-convex [3], it is difficult to describe a general solver for such a problem. Efficient algorithms have been constructed for some special rank minimization problems in the

[☆]This work is supported by the National Natural Science Foundation of China No. 11571156, No. 11361030, Fundamental Research Funds for the Central Universities lzujbky-2017-it58, the Construct Program of the Key Discipline in Hunan Province.

Email addresses: huangym@lzu.edu.cn. (Yu-Mei Huang), yanhy15@lzu.edu.cn (Hui-Yin Yan), wenyouwei@gmail.com (You-Wei Wen), sclylsyx@126.com (Xue Yang)

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات