www.elsevier.com/locate/talanta

A Novel Dual Labeling Approach Enables Converting Fluorescence Labeling Reagents Into Fluorogenic Ones *Via* Introduction of Purification Tags. Application to Determination of Glyoxylic Acid in Serum

Mahmoud El-Maghrabey, Masaki Mine, Naoya Kishikawa, Kaname Ohyama, Naotaka Kuroda

PII: S0039-9140(17)31225-0
DOI: https://doi.org/10.1016/j.talanta.2017.12.023
Reference: TAL18159

To appear in: *Talanta*

Received date: 5 October 2017
Revised date: 7 December 2017
Accepted date: 8 December 2017

Cite this article as: Mahmoud El-Maghrabey, Masaki Mine, Naoya Kishikawa, Kaname Ohyama and Naotaka Kuroda, A Novel Dual Labeling Approach Enables Converting Fluorescence Labeling Reagents Into Fluorogenic Ones *Via* Introduction of Purification Tags. Application to Determination of Glyoxylic Acid in Serum, *Talanta,* https://doi.org/10.1016/j.talanta.2017.12.023

A Novel Dual Labeling Approach Enables Converting Fluorescence Labeling Reagents Into Fluorogenic Ones *Via* Introduction of Purification Tags. Application to Determination of Glyoxylic Acid in Serum.

Mahmoud El-Maghrabey[a,b], Masaki Mine[a], Naoya Kishikawa[a], Kaname Ohyama[a], Naotaka Kuroda[a,*]

[a]Course of Pharmaceutical Sciences, Graduate School of Biomedical Sciences, Nagasaki University, 1-14 Bunkyo-machi, Nagasaki 852-8521, Japan

[b] Department of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Mansoura University, Mansoura 35516, Egypt

* Corresponding author. Tel.: +81 95 819 2894, fax: +81 95 819 2444, E-mail address: n-kuro@nagasaki-u.ac.jp (N. Kuroda).