


# Accepted Manuscript

## Reliability Analysis of Space Structures Using Monte-Carlo Simulation Method

M. Gordini, M.R. Habibi, M.H. Tavana, M. TahamouliRoudsari, M. Amiri



PII: S2352-0124(18)30036-5  
DOI: doi:[10.1016/j.istruc.2018.03.011](https://doi.org/10.1016/j.istruc.2018.03.011)  
Reference: ISTRUC 267  
To appear in: *Structures*  
Received date: 20 April 2017  
Revised date: 18 March 2018  
Accepted date: 21 March 2018

Please cite this article as: M. Gordini, M.R. Habibi, M.H. Tavana, M. TahamouliRoudsari, M. Amiri , Reliability Analysis of Space Structures Using Monte-Carlo Simulation Method. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Istruc(2017), doi:[10.1016/j.istruc.2018.03.011](https://doi.org/10.1016/j.istruc.2018.03.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Reliability Analysis of Space structures using Monte-Carlo Simulation Method

M.Gordini<sup>a</sup>, M.R.Habibi<sup>a,\*</sup>,  
M.H.Tavana<sup>a</sup>, M.TahamouliRoudsari<sup>a</sup> and M.Amiri<sup>a</sup>

<sup>a</sup> Department of Civil Engineering, Kermanshah Branch, Islamic Azad University, Kermanshah, Iran

**ABSTRACT.** The existence of initial imperfections in manufacturing or assemblage of real structures is inevitable. Many of these imperfections in double-layer space structures, such as the curvature and length imperfections, are random in nature. In this paper, the effect of initial curvature imperfection in the load carrying capacity of double-layer space structures is investigated. For this purpose, three different types of supports are considered. The curvature imperfection is considered as a random number by gamma distribution. The probabilistic model is used to distribute the random imperfections among all members of the structure. The collapse behavior and the ultimate capacity of the considered structures are determined using nonlinear analysis and this procedure is repeated by Monte Carlo simulation method. The results show that the collapse behavior of double-layer grid space structures is highly sensitive to the random distribution of initial imperfections.

**Keywords:** Steel structures; Reliability; Monte-Carlo Simulation; Imperfection; space structures

## 1. Introduction

Double-layer space trusses are frequently used in large open areas because they offer advantages such as high stiffness, relatively light weight, ease of erection, and ability to cover open areas [1]. Despite being known for their high degree of indeterminacy and absorption forces, space structures suffer from characteristic progressive failure after the collapse of one or several members. In such an event, the failure of even one member can lead the collapse of the whole structure. The factors that affect the behavior of these structures are quite diverse and depend upon the behavior of every single member and also their connecting system. Although these structures are manufactured industrially, the members of these structures behave inconsistently because of different mechanical and geometrical properties

Space truss structures have been the subject of many studies [2-11]. Schmidt et al. have indicated that space trusses may fail in a brittle and unstable manner, in which the buckling of one member due to overloading can trigger a progressive collapse of the whole structure, in which successive members fail in a rapid sequence [2-3]. Affan and Calladine have shown that the number of redundant bars that can be removed without affecting the stability of structure is about 15% to 25% of the total number of truss members [4-5]. It is not possible to attribute this characteristic to all space structures; the failure of the roof of the Hartford stadium in 1984 is a practical example of the possibility of progressive collapse. Researchers have noted imperfections in members as an important cause of this failure [6].

Space structures have a high degree of indeterminacy and typically contain hundreds of members which inevitably incorporate different types of imperfection. Initial curvature of a truss

---

\* Corresponding author.

E-mail address: [M.R.Habibi@iauksh.ac.ir](mailto:M.R.Habibi@iauksh.ac.ir) (M.R.Habibi).

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات