

# Accepted Manuscript

Thermodynamic and economic assessments of a novel CCHP cycle utilizing low-temperature heat sources for domestic applications

A.H. Mosaffa, L. Garousi Farshi



PII: S0960-1481(17)31303-4

DOI: [10.1016/j.renene.2017.12.099](https://doi.org/10.1016/j.renene.2017.12.099)

Reference: RENE 9596

To appear in: *Renewable Energy*

Received Date: 21 July 2017

Revised Date: 25 December 2017

Accepted Date: 27 December 2017

Please cite this article as: Mosaffa AH, Farshi LG, Thermodynamic and economic assessments of a novel CCHP cycle utilizing low-temperature heat sources for domestic applications, *Renewable Energy* (2018), doi: 10.1016/j.renene.2017.12.099.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# 1 **Thermodynamic and economic assessments of a novel CCHP cycle** 2 **utilizing low-temperature heat sources for domestic applications**

3 **A.H. Mosaffa<sup>\*1</sup>, L. Garousi Farshi<sup>2</sup>**

4 <sup>1</sup> *Department of Mechanical Engineering, Azarbaijan Shahid Madani University, Tabriz, Iran*

5 <sup>2</sup> *Faculty of Mechanical Engineering, University of Tabriz, Iran*

6 \* Corresponding author. E-mail addresses: [mosaffa@azaruniv.ac.ir](mailto:mosaffa@azaruniv.ac.ir)

## 7 **Abstract**

8 This paper presents thermo-economic analysis of a novel combined cooling, heating, and power (CCHP) cycle  
9 based on the first and second laws of thermodynamics and economic point of view. The proposed CCHP cycle  
10 includes an organic Rankine cycle, an ejector refrigeration cycle and a domestic water heater to produce the  
11 desired electrical power, cooling and heating, simultaneously. The basic CCHP (BCCHP) system is modified by  
12 regenerative method (RCCHP). Four different dry working fluids R123, R236fa, R245fa and R600a are  
13 employed. Both systems are analyzed thermo-economically and their performance, total cost rate and unit  
14 cost of products are compared. Moreover, parametric study is conducted to investigate the effect of key  
15 parameters. Under given condition, thermodynamics analysis of proposed systems is conducted in which the  
16 maximum energy and exergy efficiencies corresponded to the BCCHP system using R123 as working fluid.  
17 The exergy analysis results show that, vapor generator has a major contribution in the overall exergy  
18 destruction, which is followed by the domestic water heater. Also, minimum total cost rate belongs to the  
19 proposed RCCHP system utilizing R123. Furthermore, a multi-objective optimization is performed for both  
20 systems. The optimization results show that RCCHP system has the smaller total cost rate compare to the  
21 BCCHP while their thermodynamic performances are approximately the same.

22 **Keywords:** Organic Rankine cycle; Ejector refrigeration cycle; Domestic water heater; Low-temperature  
23 heat source; Thermo-economic analysis; Multi-objective Optimization.

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات