

Dynamic programming decision path encoding of genetic algorithms for production allocation problems

Chang Ying-Hua ^{a,*}, Hou Young-Chang ^b

^a Department of Information Management, Tatung University, 40 ChungShan North Road, 3rd Section, Taipei 104, ROC

^b Department of Information Management, Tamkang University, 151 Ying-chuan Road, Tamsui, Taipei 251, ROC

Received 14 June 2006; received in revised form 12 May 2007; accepted 16 June 2007

Available online 21 June 2007

Abstract

Genetic algorithm is a novel optimization technique for solving constrained optimization problems. The penalty function methods are the popular approaches because of their simplicity and ease of implementation. Penalty encoding method needs more generations to get good solutions because it causes invalid chromosomes during evolution. In order to advance the performance of Genetic Algorithms for solving production allocation problems, this paper proposes a new encoding method, which applies the upper/lower bound concept of dynamic programming decision path on the chromosome encoding of genetic algorithm, that encodes constraints into chromosome to ensure that chromosomes are all valid during the process of evolution. Utilization of the implicated parallel processing characteristic of genetic algorithms to improve dynamic programming cannot guarantee to solve complex problems in the polynomial time. Additionally, a new simultaneous crossover and mutation operation is proposed to enable the new method to run correctly following the standard genetic algorithm procedures. This approach is evaluated on some test problems. Solutions obtained by this approach indicate that our new encoding genetic algorithms certainly accelerate the performance of the evolution process.

© 2007 Elsevier Ltd. All rights reserved.

Keywords: Genetic Algorithms; Dynamic programming decision path encoding; Production allocation; Constraints satisfaction; Optimization problems

1. Introduction

The production allocation problem is a constrained optimization problem and can be recognized as a NP-hard problem (Garavelli, Okogbaa, & Violante, 1996), such that solving this problem within polynomial time using general algorithms is impossible. Using iterative and random search methods, which involves parallel processing, an evolutionary process has a powerful solution searching capability. Genetic Algorithms are probabilistic search algorithms, which mimic biological evolution to produce gradually better offspring solutions. Each solution to a given problem is encoded by a string of bits that represents an individual in a

* Corresponding author.

E-mail addresses: yhchang@ttu.edu.tw (Y.-H. Chang), yhou@mail.im.tku.edu.tw (Y.-C. Hou).

population. Genetic Algorithms assign a fitness value to every individual according to the quality of the solution which represents. An individual having a better fitness value in the population is more able to survive into the next generation and vice versa. Every generation must through three main genetic operations, which are selection, crossover and mutation. In genetic algorithm, a satisfactory solution is not obtained. The evolutionary process continues as long as the number of iteration.

Genetic Algorithms have been successfully applied to the constrained optimization problems such as Traveling Salesman Problem (Chatterjee, Carrera, & Lynch, 1996; Katayama, Sakamoto, & Narihisa, 2000), Timetable Problem (Burk & Newall, 1999), Quadratic Assignment Problem (Ahuja, Orlin, & Tiwari, 2000; Nissen, 1994; Schnecke & Vornberger, 1997; Tate & Smith, 1995), Job Shop Scheduling Problem (Cheng, Gen, & Tsujimura, 1996, 1999; Della, Tadei, & Volta, 1995; Wang & Zheng, 2001; Zhou, Feng, & Han, 2001), Airline Crew Scheduling Problem (Ozdemir & Mohan, 2001), and others.

The penalty encoding method perhaps is the most popular approach used in Genetic Algorithms for constrained optimization problems, because of its simplicity and ease of implementation (Chau, 2004; Contreras, Valero, & Pinninghoff, 2005; Deb, 2000; Gen & Cheng, 1996; Ji, 2005; Michalewicz, Dasgupta, Le Riche, & Schoenauer, 1996). Using this conventional encoding method to solve constrained optimization problems may waste much time and lead to an inefficient performance because it does not narrow down the search space of the problems by encoding any constraints into the chromosome. This study elucidates a novel means of encoding Genetic Algorithms to solve the production allocation problem. This new method, called the dynamic programming decision path encoding method, can greatly shrink the search space and lead to an efficient performance. This new encoding method applies the upper/lower bound concept of dynamic programming decision path on the chromosomes to ensure that chromosomes are all valid during the process of evolution. Using the implicated parallel processing characteristics of Genetic Algorithms to improve dynamic programming can not guarantee to solve complex problems in polynomial time. A new crossover and mutation operation is proposed to enable the new method of encoding chromosomes to run correctly with the standard genetic algorithm procedures. This approach is evaluated for some test problems of various sizes. Solutions obtained by this approach are efficient.

2. Production allocation problems (PAPs)

Production allocation problems involve allocating plant output among many markets subject to capacity constraints and market demand in order to minimize the costs of the multinational company (Bhatnagar, Chandra, & Goyal, 1993; Lootsma, 1994). Fig. 1 represents such a production allocation problem of this kind.




Fig. 1. Production allocation model.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات